Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830



**SAFETY DATA SHEET** 



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	Ford - Castrol Magnatec Professional Diesel 0W-20
Product code	469474-BE02
SDS no.	469474
Product type	Liquid.
1.2 Relevant identified uses	of the substance or mixture and uses advised against
Use of the substance/	Engine Oils.
mixture	For specific application advice see appropriate Technical Data Sheet or consult our company representative.
1.3 Details of the supplier of	f the safety data sheet
Supplier	BP Europa SE, Oddział w Polsce
	Skrytka pocztowa nr 126 00-961 Warszawa
	Poland
	22 307 77 77
E-mail address	MSDSadvice@bp.com

### 1.4 Emergency telephone number

EMERGENCY	Carechem: +44 (0) 1235 239 670 (24/7)
TELEPHONE NUMBER	+ 48 22 582 65 80 (toxicology information)

### **SECTION 2: Hazards identification**

 2.1 Classification of the substance or mixture

 Product definition
 Mixture

 Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

 Not classified.

See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

#### 2.2 Label elements

2.2 Laber elements				
Signal word	No signal word.			
Hazard statements	No known significant effects or critical h	azards.		
Precautionary statements				
Prevention	Not applicable.			
Response	Not applicable.			
Storage	Not applicable.			
Disposal	Not applicable.			
Supplemental label elements	Contains C14-16-18 Alkyl phenol. May	produce an allergic reactior	۱.	
EU Regulation (EC) No. 1907/2	2006 (REACH)			
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.			
Special packaging requirement	<u>nts</u>			
Containers to be fitted with child-resistant fastenings	Not applicable.			
Product name Ford - Castrol Ma	gnatec Professional Diesel 0W-20	Product code 469474	-BE02	Page: 1/12
Version 3.02 Date of issue 6	August 2018 For	rmat Poland (Poland)	Language	ENGLISH

### **SECTION 2: Hazards identification**

Tactile warning of danger Not applicable.

2.3 Other hazards	
Results of PBT and vPvB assessment	Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.
Other hazards which do not result in classification	Defatting to the skin. USED ENGINE OILS Used engine oil may contain hazardous components which have the potential to cause skin cancer. See Toxicological Information, section 11 of this Safety Data Sheet.

### **SECTION 3: Composition/information on ingredients**

3.2 Mixtures Product definition

### Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
Distillates (petroleum), hydrotreated heavy paraffinic	REACH #: 01-2119484627-25 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8	≥25 - ≤50	Asp. Tox. 1, H304	[1] [2]
Distillates (petroleum), hydrotreated heavy paraffinic	REACH #: 01-2119484627-25 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8	≥25 - ≤50	Asp. Tox. 1, H304	[1] [2]
Base oil - unspecified	Varies - See Key to abbreviations	≤10	Not classified.	[2]
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	REACH #: 01-2119474878-16 EC: 276-737-9 CAS: 72623-86-0 Index: 649-482-00-X	≤5	Asp. Tox. 1, H304	[1] [2]
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	REACH #: 01-2119474889-13 EC: 276-738-4 CAS: 72623-87-1 Index: 649-483-00-5	≤5	Asp. Tox. 1, H304	[1] [2]
Reaction mass of isomers of C7-9-alkyl 3-(3,5-di-trans-butyl- 4-hydroxphenyl)propionate	REACH #: 01-0000015551-76 EC: 406-040-9 CAS: -	≤3	Aquatic Chronic 4, H413	[1]

#### See Section 16 for the full text of the H statements declared above.

#### <u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

# SECTION 4: First aid measures

### 4.1 Description of first aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.	
Skin contact	Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.	
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.	
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.	
Product name Ford - Castrol N	agnatec Professional Diesel 0W-20 Product code 469474-BE02 Page: 2/12	
Version 3.02 Date of issue	August 2018 Format Poland Language ENGLISH (Poland)	

### **SECTION 4: First aid measures**

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

Potential acute health effects	
Inhalation	Vapour inhalation under ambient conditions is not normally a problem due to low vapour pressure.
Ingestion	No known significant effects or critical hazards.
Skin contact	Defatting to the skin. May cause skin dryness and irritation.
Eye contact	No known significant effects or critical hazards.
<b>Delayed and immediate effects</b>	as well as chronic effects from short and long-term exposure
Inhalation	Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.

#### 4.3 Indication of any immediate medical attention and special treatment needed

 Notes to physician
 Treatment should in general be symptomatic and directed to relieving any effects.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.	
Unsuitable extinguishing mediaDo not use water jet. The use of a water jet may cause the fire to spread by s burning product.		
5.2 Special hazards arising fro	om the substance or mixture	
Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst.	
Hazardous combustion productsCombustion products may include the following: carbon oxides (CO, CO2) (carbon monoxide, carbon dioxide)		
5.3 Advice for firefighters		
Special precautions for fire-fighters	No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.	
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Floors may be slippery; use care to avoid falling. Put on appropriate personal protective equipment.
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### 6.3 Methods and material for containment and cleaning up

Small spillStop leak if without risk. Move containers from spill area. Absorb with an inert material and<br/>place in an appropriate waste disposal container. Dispose of via a licensed waste disposal<br/>contractor.

ſ	Product name	Ford - Castrol Magnatec Professional Diesel 0W-20		Product code	469474-BE02	Page: 3/12
	Version 3.02	Date of issue 6 August 2018	Format	Poland	Language	ENGLISH
				(Poland)		

### **SECTION 6: Accidental release measures**

Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	See Section 1 for emergency contact information. See Section 5 for firefighting measures. See Section 8 for information on appropriate personal protective equipment. See Section 12 for environmental precautions. See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe han	dling
Protective measures	Put on appropriate personal protective equipment.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep away from heat and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store and use only in equipment/ containers designed for use with this product. Do not store in unlabelled containers.
Not suitable	Prolonged exposure to elevated temperature
7.3 Specific end use(s)	
Recommendations	See section 1.2 and Exposure scenarios in annex, if annlicable

### **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters	
Occupational exposure limits	No exposure limit value known.
Product/ingredient name	Exposure limit values
Sistillates (petroleum), hydrotreated heavy paraffinic	Ministra Pracy i Polityki Społecznej (Poland). TWA: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised: 9/2014 Form: Inhalable fraction
Distillates (petroleum), hydrotreated heavy paraffinic	Ministra Pracy i Polityki Społecznej (Poland). TWA: 5 mg/m³ 8 hours. Issued/Revised: 9/2014 Form: Inhalable fraction
Base oil - unspecified	Ministra Pracy i Polityki Społecznej (Poland). TWA: 5 mg/m³ 8 hours. Issued/Revised: 9/2014 Form: Inhalable fraction
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	Ministra Pracy i Polityki Społecznej (Poland).
	TWA: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised: 9/2014 Form: Inhalable fraction
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	Ministra Pracy i Polityki Społecznej (Poland).
	TWA: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised: 9/2014 Form: Inhalable fraction
Whilst specific OELs for certain components may be	shown in this section, other components may be present in any mist,

Whilst specific OELs for certain components may be shown in this section, other components may be present in any mist, vapour or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

**Recommended monitoring procedures** If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### **Derived No Effect Level**

No DNELs/DMELs available.

Product name	Ford - Castrol Magnatec Professional Diesel 0W-20		Product code	469474-BE02	Page: 4/12
Version 3.02	Date of issue 6 August 2018	Format	Poland	Language	ENGLISH
			(Poland)		

# SECTION 8: Exposure controls/personal protection

Predicted No Effect Concentration

No PNECs available

8.2 Exposure controls				
Appropriate engineering controls	Provide exhaust ventilation or oth concentrations below their respe- All activities involving chemicals exposures are adequately contro after other forms of control meas Personal protective equipment sl kept in good condition and prope Your supplier of personal protect appropriate standards. For further The final choice of protective equipment ensure that all items of personal	ctive occupational exposure limit should be assessed for their risk illed. Personal protective equipm ures (e.g. engineering controls) h hould conform to appropriate star rly maintained. ive equipment should be consult er information contact your nation uipment will depend upon a risk a	s. s to health, to e ent should only nave been suit ndards, be suit ed for advice o nal organisatio issessment. It	ensure y be considered ably evaluated. able for use, be on selection and n for standards.
Individual protection measures	È			
Hygiene measures	Wash hands, forearms and face smoking and using the lavatory a stations and safety showers are of	and at the end of the working peri		
Respiratory protection	In case of insufficient ventilation, The correct choice of respiratory conditions of work and use, and the should be developed for each int therefore be chosen in consultation of the working conditions.	protection depends upon the che the condition of the respiratory ec ended application. Respiratory p	emicals being l quipment. Safe rotection equip	ety procedures ment should
Eye/face protection Skin protection	Safety glasses with side shields.			
Hand protection	General Information:			
	Because specific work environme should be developed for each int depends upon the chemicals bein provide protection for only a limit best chemically resistant gloves	ended application. The correct cl ng handled, and the conditions o ed time before they must be disc	noice of protec f work and use arded and repl	tive gloves . Most gloves aced (even the
	Gloves should be chosen in cons a full assessment of the working		acturer and ta	king account of
	Recommended: Nitrile gloves. Breakthrough time:			
	Breakthrough time data are general and represent how long a glove of is important when following break conditions are taken into account technical information on breakthr Our recommendations on the sel	can be expected to provide effect (through time recommendations t. Always consult with your glove ough times for the recommended	tive permeation that actual wor supplier for up	n resistance. It kplace
	Continuous contact:			
	Gloves with a minimum breakthro can be obtained. If suitable gloves are not availabl breakthrough times may be acce replacement regimes are determ	le to offer that level of protection, ptable as long as appropriate glo	gloves with sh	norter
	Short-term / splash protection:			
	Recommended breakthrough tim It is recognised that for short-terr may commonly be used. Therefo be determined and rigorously foll	n, transient exposures, gloves wi re, appropriate maintenance and		
	Glove Thickness:			
	For general applications, we reco	ommend gloves with a thickness	typically greate	er than 0.35 mm.
	It should be emphasised that glo	ve thickness is not necessarily a	good predictor	of glove
Product name Ford - Castrol Mag	natec Professional Diesel 0W-20	Product code 46947	4-BE02	Page: 5/12
Version 3.02 Date of issue 6 A	August 2018	Format Poland	Language	ENGLISH

(Poland)

# SECTION 8: Exposure controls/personal protection

	resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough times. Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most appropriate glove for the task.
	Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:
	• Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.
	• Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential.
Skin and body	Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.
<u>Refer to standards:</u>	Respiratory protection: EN 529 Gloves: EN 420, EN 374 Eye protection: EN 166 Filtering half-mask: EN 149 Filtering half-mask with valve: EN 405 Half-mask: EN 140 plus filter Full-face mask: EN 136 plus filter Particulate filters: EN 143 Gas/combined filters: EN 14387
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical	and chemical properties
<u>Appearance</u>	
Physical state	Liquid.
Colour	Amber. [Light]
Odour	Not available.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	-45 °C
Flash point	Closed cup: >185°C (>365°F) [Pensky-Martens.]
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Density	<1000 kg/m³ (<1 g/cm³) at 15°C
Solubility(ies)	insoluble in water.
Partition coefficient: n-octanol/ water	Not available.
Product name Ford - Castrol Magna	rec Professional Diesel 0W-20 Product code 469474-BE02 Page: 6/12
Version 3.02 Date of issue 6 Aug	ust 2018 Format Poland Language ENGLISH (Poland)

# **SECTION 9: Physical and chemical properties**

Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Kinematic: 37.8 mm²/s (37.8 cSt) at 40°C Kinematic: 7.2 to 8.3 mm²/s (7.2 to 8.3 cSt) at 100°C
Explosive properties	Not available.
Oxidising properties	Not available.

#### 9.2 Other information

No additional information.

SECTION 10: Stability and reactivity		
10.1 Reactivity	No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.	
10.2 Chemical stability	The product is stable.	
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur.	
10.4 Conditions to avoid	Avoid all possible sources of ignition (spark or flame).	
10.5 Incompatible materials	Reactive or incompatible with the following materials: oxidising materials.	
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.	

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity estimates
--------------------------

	Route	ATE value
Not available.		
Information on likely routes of exposure	Routes of entry anticipated: Dermal, Inhalation	n.
Potential acute health effects		
Inhalation	Vapour inhalation under ambient conditions is pressure.	not normally a problem due to low vapour
Ingestion	No known significant effects or critical hazard	S.
Skin contact	Defatting to the skin. May cause skin dryness	s and irritation.
Eye contact	No known significant effects or critical hazards	S.
Symptoms related to the phy	sical, chemical and toxicological characterist	<u>tics</u>
Inhalation	No specific data.	
Ingestion	No specific data.	
Skin contact	Adverse symptoms may include the following: irritation dryness cracking	
Eye contact	No specific data.	
Delayed and immediate effect	ts as well as chronic effects from short and lo	ong-term exposure
Inhalation	Overexposure to the inhalation of airborne dro respiratory tract.	oplets or aerosols may cause irritation of the
Ingestion	Ingestion of large quantities may cause nause	ea and diarrhoea.
Skin contact	Prolonged or repeated contact can defat the s	skin and lead to irritation and/or dermatitis.
Eye contact	Potential risk of transient stinging or redness i	if accidental eye contact occurs.
Potential chronic health effe	<u>ets</u>	
General	engine oils during use. Used engine oil may o	ation of internal combustion engines contaminate contain hazardous components which have the rolonged contact with all types and makes of used gh standard of personal hygiene maintained.
Product name Ford - Castrol M	agnatec Professional Diesel 0W-20	Product code         469474-BE02         Page: 7/12
Version 3.02 Date of issue	•	Poland Language ENGLISH (Poland)

### **SECTION 11: Toxicological information**

Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
<b>Developmental effects</b>	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Environmental hazards

Not classified as dangerous

### 12.2 Persistence and degradability

Not expected to be rapidly degradable.

#### **12.3 Bioaccumulative potential**

This product is not expected to bioaccumulate through food chains in the environment.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.

#### 12.5 Results of PBT and vPvB assessment

Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.

### **12.6 Other adverse effects**

**Other ecological information** Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

### Product

.

Methods of disposal

Hazardous waste

Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations. Yes.

European waste catalogue (EWC)

Waste code	Waste designation
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils

However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste disposal code to be assigned by the end user.

Packaging	
Methods of disposal	Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.
Special precautions	This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
References	Commission 2014/955/EU Directive 2008/98/EC

### **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
Product name Ford	- Castrol Magnatec Professional I	Diesel 0W-20	Product code 469474-E	BE02 Page: 8/12
Version 3.02 Da	te of issue 6 August 2018	Format	Poland (Poland)	Language ENGLISH

### Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

### **SECTION 14: Transport information**

14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

**14.6 Special precautions for** Not available. **user** 

14.7 Transport in bulkNot available.according to Annex II ofMarpol and the IBC Code

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU Regulation (EC) No. 1907/2006 (REACH)

#### Annex XIV - List of substances subject to authorisation

#### Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

# Other regulations

REACH Status	The company, as identified in Section 1, sells this product in the EU in compliance with the current requirements of REACH.
United States inventory (TSCA 8b)	All components are listed or exempted.
Australia inventory (AICS)	All components are listed or exempted.
Canada inventory	All components are listed or exempted.
China inventory (IECSC)	All components are listed or exempted.
Japan inventory (ENCS)	All components are listed or exempted.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	At least one component is not listed.
Taiwan Chemical Substances Inventory (TCSI)	All components are listed or exempted.
Ozone depleting substances Not listed.	<u>(1005/2009/EU)</u>
Prior Informed Consent (PIC)	) (649/2012/EU)

Not listed.

### Seveso Directive

This product is not controlled under the Seveso Directive.

2006. concerning the Registration, Evaluation, A			e European Parliament and of the Council of 18 December Evaluation, Authorisation and Restriction of Chemicals Chemicals Agency (OJ. EU L 396 of 30 December 2006. 66 of 29 May 2007. with later. amended).		
	Commission Regulation (EU) No 453/2010 of 20 May 2010. amending Regulation (EC) No 1907/2006 of the Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)				
Act of 25 February 2011. chemical substances and mixtures (OJ U.11.63.322)					
Regulation of the Minister of Health of 10 August 2012 on the criteria and classification of chemical substances and their mixtures (Journal of Laws 2012, item 1018)				ication of	
Product name Ford - Castrol Ma	gnatec Professional Diesel 0W-20	Product code 4	69474-BE02	Page: 9/12	
Version 3.02 Date of issue 6	August 2018	Format Poland	Language	ENGLISH	

(Poland)

# **SECTION 15: Regulatory information**

Full text of classifications

Date of issue/ Date of

Date of previous issue

[CLP/GHS]

revision

Version 3.02

**History** 

Aquatic Chronic 4, H413

Asp. Tox. 1, H304

06/08/2018.

21/06/2018.

Product name Ford - Castrol Magnatec Professional Diesel 0W-20

Date of issue 6 August 2018

15.2 Chemical safety assessment		t has been carried out for one or more of substances within this sessment has not been carried out for the mixture itself.
SECTION 16: Other in	formation	
SECTION 16: Other In Abbreviations and acronyms	ADN = European Provisions cor Inland Waterway ADR = The European Agreemen Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Serv CLP = Classification, Labelling a CSA = Chemical Safety Assess CSR = Chemical Safety Assess CSR = Chemical Safety Report DMEL = Derived Minimal Effect DNEL = Derived No Effect Leve EINECS = European Inventory of ES = Exposure Scenario EUH statement = CLP-specific H EWC = European Waste Catalo GHS = Globally Harmonized Sy IATA = International Air Transpo IBC = Intermediate Bulk Contair IMDG = International Maritime D LogPow = logarithm of the octar MARPOL = International Conve modified by the Protocol of 1978 OECD = Organisation for Econo PBT = Persistent, Bioaccumulat PNEC = Predicted No Effect Co REACH = Registration, Evaluati [Regulation (EC) No. 1907/2006 RID = The Regulations concern RRN = REACH Registration Nu SADT = Self-Accelerating Deco SVHC = Substances of Very Hig STOT-RE = Specific Target Org STOT-SE = Sp	and Packaging Regulation [Regulation (EC) No. 1272/2008] ment Level d of Existing Commercial chemical Substances Hazard statement gue stem of Classification and Labelling of Chemicals ort Association her Dangerous Goods hol/water partition coefficient ntion for the Prevention of Pollution From Ships, 1973 as ("Marpol" = marine pollution) omic Co-operation and Development ive and Toxic ncentration on, Authorisation and Restriction of Chemicals Regulation [] ing the International Carriage of Dangerous Goods by Rail mber mposition Temperature gh Concern jan Toxicity - Repeated Exposure an Toxicity - Single Exposure
		-22-0 / RRN 01-2119495601-36, 90669-74-2 / RRN
Procedure used to derive the c		lation (EC) No. 1272/2008 [CLP/GHS]
Classific		Justification
Not classified.		
Full text of abbreviated H statements		l lay be fatal if swallowed and enters airways. lay cause long lasting harmful effects to aquatic life.

LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 4

Product code 469474-BE02

Page: 10/12

Language ENGLISH

ASPIRATION HAZARD - Category 1

Format Poland

(Poland)

### SECTION 16: Other information

Prepared by

Product Stewardship

#### Indicates information that has changed from previously issued version.

#### Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name	Ford - Castrol Magnatec Professional Diesel 0W-20		Product code	469474-BE02	Page: 11/12	
Version 3.02	Date of issue 6 August 2018	Format	Poland	Language	ENGLISH	
			(Poland)			

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

Γ	Product name	Ford - Castrol Magnatec Professional Diesel 0W-20		Product code	469474-BE02	Page: 12/12
	Version 3.02	Date of issue 6 August 2018	Format	Poland	Language	ENGLISH
				(Poland)		