

# BATTERYstart 400

## Jump starters



### Engine size compatibility

To jump start 12 V vehicles up to 8 L with petrol engines and 4 L with diesel



### Battery Power

High Power 16,800 mAh Lithium Cobalt battery



### Powerbank-Function

Charging electronic devices including smart phones and tablets



### Compact and powerful lithium jump starter with power bank feature

The OSRAM BATTERYstart400 is a high power Lithium Cobalt LiCoO<sub>2</sub> jump starter for 12V vehicles up to 8L with petrol engines and 4L with diesel. Compact, without compromising on power, the BATTERYstart400 weighs only 700g and fits easily into the glovebox of your car – making it easier to use when in an emergency. The BATTERYstart400's intelligent clamps have anti-spike, reverse polarity and short circuit protection, keeping you, the car and the jump starter safe and in working condition. Also includes a power bank feature for charging electronic devices such as mobile phones and tablets and a bright LED working light. Ideal for all car sizes, SUVs, vans and motorcycles.

## Product family datasheet

### Technical data

Product description	Product information			
	Efficiency	Recommended Petrol Engine size (up to)	Recommended Diesel Engine size (up to)	USB sockets 2.1A
BATTERY start 400 <sup>1)</sup>	Best	8 l	4 l	2

Product description	12V Power socket connection	Electrical data		Dimensions & weight
		Cranking Amps	Peak Amps	Length
BATTERY start 400 <sup>1)</sup>	Yes	400	2000	212.0 mm

Product description	Construction length	Width	Height	Additional product data	
				Type of Battery	Battery Capacity
BATTERY start 400 <sup>1)</sup>	0.0	88.0 mm	30.0 mm	LiCoO2	16800 mAh


Product description	Charging Type	Charging time	Power bank function
BATTERY start 400 <sup>1)</sup>	Micro-USB	4 h	Yes

<sup>1)</sup> Up to 8L Petrol 4L Diesel

## Product family datasheet

---

### Download Data

File	
	Movie application BatteryStart How to Video (EN)

#### Application advice:

For more detailed application information and graphics please see product datasheet.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.