



SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

SDS # : 083162

TRANSMISSION GEAR 8 75W-80

Date of the previous version: 2018-01-16

Revision Date: 2018-04-23

Version 3.03

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	TRANSMISSION GEAR 8 75W-80
Number	DEM
Substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Transmission fluid.
------------------------	---------------------

1.3. Details of the supplier of the safety data sheet

Supplier	<p>A - TOTAL UK LIMITED 183 Eversholt St, Kings Cross London, NW1 1BU UNITED KINGDOM Tel: +44 (0)20 7339 8000 Fax: +44 (0)20 7339 8033</p> <p>B - TOTAL LUBRIFIANTS 562 Avenue du Parc de L'île 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71</p>
-----------------	---

For further information, please contact:

Contact Point	A - HSE
	B - HSE
E-mail Address	A - rm.gb-msds@total.co.uk
	B - rm.msds-lubs@total.com

1.4. Emergency telephone number

Emergency telephone: +44 1235 239670

UK: National Poisons Information Service (NPIS): NHS on 111 or a doctor

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Version EUUK



SDS # : 083162

TRANSMISSION GEAR 8 75W-80

Revision Date: 2018-04-23

Version 3.03

REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

Classification

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008

2.2. Label elements

Labelled according to REGULATION (EC) No 1272/2008

Signal word

None

Hazard Statements

None

Precautionary statements

None

Supplemental Hazard Statements

EUH210 - Safety data sheet available on request

EUH208 - Contains Polysulfides, di-tert-Bu. May produce an allergic reaction

2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties The product may form an oil film on the water surface that may stop the oxygen exchange.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture***

Chemical nature Mineral oil of petroleum origin.

Hazardous components

Chemical Name	EC-No	REACH Registration Number	CAS-No	Weight %	Classification (Reg. 1272/2008)
Polysulfides, di-tert-Bu***	273-103-3***	01-2119540515-43	68937-96-2	2.5-<5	Skin Sens. 1 (H317) Aquatic Chronic 3 (H412)
Distillates (petroleum), hydrotreated heavy paraffinic***	265-157-1***	01-2119484627-25	64742-54-7	1-<3	Asp. Tox. 1 (H304)
zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)***	218-679-9***	01-2119953275-34	2215-35-2	1-<2.5	Aquatic Chronic 2 H411 Eye Dam.1 H318 Skin Irrit. 2 H315
Oleic acid, compound with	251-846-4***	01-2119974119-29-0	34140-91-5	0.25-<1	STOT RE 2 (H373)

Version EUUK

SDS # : 083162

TRANSMISSION GEAR 8 75W-80

Revision Date: 2018-04-23

Version 3.03

(Z)-N-octadec-9-enylpropane-1,3-diamine (2:1) ***		000			Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) M Factor Acute 10
Sodium metaborate***	231-891-6***	no data available	7775-19-1	0.3-<1	Repr. 2 (H361)
Phenol, dodecyl-, branched***	310-154-3***	01-2119513207-49-002	121158-58-5	0.025-<0.1	Skin Corr. 1C (H314) Eye Dam. 1 (H318) Repr. 1B (H360F) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M factor acute = 10 M factor chronic =10

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.***
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing.***
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. Take victim immediately to hospital.***
Inhalation	Remove casualty to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration.***
Ingestion	Clean mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.***
Protection of first-aiders	First aider needs to protect himself. See Section 8 for more detail. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.***

4.2. Most important symptoms and effects, both acute and delayed

Eye contact	Not classified based on available data. The supplier of some components contained within this formulation has indicated that the classification as irritant is not required.***
Skin contact	Not classified based on available data. May produce an allergic reaction. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.***
Inhalation	Not classified based on available data. Inhalation of vapours in high concentration may cause irritation of respiratory system.***

Version EUUK



SDS # : 083162

TRANSMISSION GEAR 8 75W-80

Revision Date: 2018-04-23

Version 3.03

Ingestion Not classified based on available data. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.***

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.***

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide (CO₂). ABC powder. Foam. Water spray or fog.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. Combustion products include sulphur oxides (SO₂ and SO₃) and Hydrogen sulphide H₂S, Phosphorous oxides, Nitrogen oxides (NO_x), Mercaptans, Zinc oxides, Sodium oxides, Silicon dioxide.

5.3. Precautions for fire-fighters

Special protective equipment for fire-fighters Wear self-contained breathing apparatus and protective suit.

Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.***

6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Prevent entry into waterways, sewers, basements or confined areas. Local authorities should be advised if significant spillages cannot be contained.***

6.3. Methods and material for containment and cleaning up

Methods for containment Dike to collect large liquid spills. If necessary dike the product with dry earth, sand or similar

Version EUUK



SDS # : 083162

TRANSMISSION GEAR 8 75W-80

Revision Date: 2018-04-23

Version 3.03

non-combustible materials.***

Methods for cleaning up

Dispose of contents/container in accordance with local regulation. In case of soil contamination, remove contaminated soil for remediation or disposal, in accordance with local regulations.***

6.4. Reference to other sections

Personal protective equipment See Section 8 for more detail.

Waste treatment See section 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.***

Prevention of fire and explosion

Take precautionary measures against static discharges.***

Hygiene measures

Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.***

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a banded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce all the statutory information from the labels onto the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Store at room temperature. Protect from moisture.***

Materials to avoid

Strong oxidising agents.***

7.3. Specific use(s)

Specific use(s)

Please refer to Technical Data Sheet for further information.***

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parametres

Exposure limits

Mineral oil mist:
USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined)

Version EUUK



SDS # : 083162

TRANSMISSION GEAR 8 75W-80

Revision Date: 2018-04-23

Version 3.03

Legend See section 16

Derived No Effect Level (DNEL) ***

DNEL Worker (Industrial/Professional)***

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Polysulfides, di-tert-Bu*** 68937-96-2			14.5 mg/m ³ Inhalation 3.33 mg/kg bw/day Dermal	
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7				5.4 mg/m ³ /8h (aerosol - inhalation)
zinc O,O,O',O'-tetrakis(1,3-di methylbutyl) bis(phosphorodithioate)** * 2215-35-2			8.6 mg/m ³ Inhalation 12.2 mg/kg bw/day Dermal	
Oleic acid, compound with (Z)-N-octadec-9-enylprop ane-1,3-diamine (2:1) *** 34140-91-5			0.290 mg/m ³ (inhalation) 0.040 mg/kg bw/day (dermal)	
Sodium metaborate*** 7775-19-1	8.8 mg/m ³ Inhalation	15.3 mg/m ³ Inhalation	8.8 mg/m ³ Inhalation 413.9 mg/kg bw/day Dermal	15.3 mg/m ³ Inhalation
Phenol, dodecyl-, branched*** 121158-58-5	44.18 mg/m ³ Inhalation 166 mg/kg Dermal		1.7621 mg/m ³ Inhalation 0.25 mg/kg Dermal	

DNEL Consumer***

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Polysulfides, di-tert-Bu*** 68937-96-2			2.6 mg/m ³ Inhalation 1.66 mg/kg bw/day Dermal	
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7				1.2 mg/m ³ /24h (aerosol - inhalation)
zinc O,O,O',O'-tetrakis(1,3-di methylbutyl) bis(phosphorodithioate)** * 2215-35-2			2.13 mg/m ³ Inhalation 6.1 mg/kg bw/day Dermal 0.24 mg/kg bw/day Oral	
Oleic acid, compound with (Z)-N-octadec-9-enylprop ane-1,3-diamine (2:1) *** 34140-91-5			0.070 mg/m ³ (inhalation) 0.018 mg/kg bw/day (dermal) 0.018 mg/kg bw/day (oral)	

Version EUUK

SDS # : 083162

TRANSMISSION GEAR 8 75W-80

Revision Date: 2018-04-23

Version 3.03

Sodium metaborate*** 7775-19-1	4.44 mg/m ³ Inhalation 1.03 mg/kg bw/day Oral		4.44 mg/m ³ Inhalation 208.8 mg/kg bw/day Dermal 1.03 mg/kg bw/day Oral	15.3 mg/m ³ Inhalation
Phenol, dodecyl-, branched*** 121158-58-5	13.26 mg/m ³ Inhalation 50 mg/kg Dermal 1.26 mg/kg Oral		0.79 mg/m ³ Inhalation 0.075 mg/kg Dermal 0.075 mg/kg Oral	

Predicted No Effect Concentration (PNEC) ***

Chemical Name	Water	Sediment	Soil	Air	STP	Oral
Polysulfides, di-tert-Bu*** 68937-96-2	0.00024 mg/l fw 0.000024 mg/l mw 0.0024 mg/l or	0.94 mg/kg dw fw 0.094 mg/kg dw mw	1513 mg/kg dw		4.51 mg/l	6.66 mg/kg
zinc O,O,O',O'-tetrakis(1, 3-dimethylbutyl) bis(phosphorodithio ate)*** 2215-35-2	0.004 mg/l fw 0.0046 mg/l mw 0.045 mg/l or	0.06 mg/kg dw fw 0.006 mg/kg dw mw	0.01 mg/kg dw		100 mg/l	10.67 mg/kg food
Oleic acid, compound with (Z)-N-octadec-9-eny lpropane-1,3-diamin e (2:1) *** 34140-91-5	0.00646 mg/l (fw) 0.000646 mg/l (mw) 0.0041 mg/l (ir)	204 mg/kg dw (fw) 20.4 mg/kg dw (mw)	9.93 mg/kg dw		99.3 mg/l	
Sodium metaborate*** 7775-19-1	1.35 mg/l fw 1.35 mg/l mw 9.1 mg/l or	1.8 mg/kg dw fw 1.8 mg/kg dw mw	5.4 mg/kg dw		1.75 mg/l	
Phenol, dodecyl-, branched*** 121158-58-5	0.000074 mg/l fw 0.0000074 mg/l mw 0.00037 mg/l or	0.226 mg/kg dw fw 0.0266 mg/kg dw mw	0.118 mg/kg dw		100 mg/l	4 mg/kg food

8.2. Exposure controls

Occupational Exposure Controls

Engineering measures

Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.***

Personal protective equipment

General Information

Protective engineering solutions should be implemented and in use before personal protective equipment is considered. The personal protective equipment (PPE) recommendations apply to the product AS DELIVERED. In case of mixtures or formulations, it is suggested that you contact the relevant PPE suppliers.***

Respiratory protection

None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P1. Warning ! filters have a limited use

Version EUUK



SDS # : 083162

TRANSMISSION GEAR 8 75W-80

Revision Date: 2018-04-23

Version 3.03

duration. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.***

Eye protection

If splashes are likely to occur, wear: Safety glasses with side-shields. EN 166.***

Skin and body protection

Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing. Type 4/6.***

Hand protection

Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. In case of prolonged contact with the product, it is recommended to wear gloves complying with EN 420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.***

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance		Clear***	
Colour		yellow***	
Physical state @20°C		liquid***	
Odour		characteristic***	
Odour Threshold		No information available	
Property	Values	Remarks	Method
pH		Not applicable***	
Melting point/range		No information available***	***
***		***	***
Boiling point/boiling range		No information available***	
Flash point ***	>*** 160*** °C*** >*** 320*** °F***		Cleveland Open Cup (COC)*** Cleveland Open Cup (COC)***
Evaporation rate		No information available***	
Flammability Limits in Air		***	
Upper ***	***	No information available***	***
Lower ***	***	No information available***	***
Vapour pressure		No information available***	
Vapour density		No information available***	
Relative density ***	*** 0.865*** -*** 0.885***	@ 15 °C***	ISO 12185***
Density	865*** - *** 885*** kg/m ³ ***	@ 15 °C***	ISO 12185***

Version EUUK



SDS # : 083162

TRANSMISSION GEAR 8 75W-80

Revision Date: 2018-04-23

Version 3.03

Water solubility	Insoluble***		
Solubility in other solvents	No information available***		
logPow	No information available***		
Autoignition temperature	No information available***		
Decomposition temperature	No information available		
Viscosity, kinematic ***	*** 45*** -*** 52***	@ 40 °C ***	ISO 3104 ***
	mm ² /s***		
Explosive properties	Not explosive***		
Oxidising properties	Not applicable***		
Possibility of hazardous reactions	None under normal processing***		

9.2. Other information

Freezing point	***	No information available***	***
***	***	***	***

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

General Information None under normal processing.

10.2. Chemical stability

Stability Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition. Keep away from heat and sparks.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. Sodium oxides, Phosphorous oxides, Nitrogen oxides (NOx), Mercaptans, Combustion products include sulphur oxides (SO₂ and SO₃) and Hydrogen sulphide H₂S, Zinc oxides, Silicon dioxide.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Version EUUK

SDS # : 083162

TRANSMISSION GEAR 8 75W-80

Revision Date: 2018-04-23

Version 3.03

Acute toxicity Local effects Product Information

Skin contact	. Not classified based on available data. May produce an allergic reaction. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.***
Eye contact	. Not classified based on available data. The supplier of some components contained within this formulation has indicated that the classification as irritant is not required.***
Inhalation	. Not classified based on available data. Inhalation of vapours in high concentration may cause irritation of respiratory system.***
Ingestion	. Not classified based on available data. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.***
ATEmix (inhalation-dust/mist)	102.80 mg/l

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates (petroleum), hydrotreated heavy paraffinic***	LD50 > 5000 mg/kg bw (rat - OECD 420)	LD50 > 5000 mg/kg bw (rabbit - OECD 402)	LC50 (4h) > 5 mg/l (aerosol) (rat - OECD 403)
zinc O,O',O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)***	LD50 2230 mg/kg (Rat - OECD 401)	LD50 > 25000 mg/kg (Rabbit - OECD 402)	
Oleic acid, compound with (Z)-N-octadec-9-enylpropane-1,3-diamine (2:1)***	LD50 > 2000 mg/kg bw (rat-OCDE 423)	LD50 > 2000 mg/kg bw (rat-OCDE 402)	
Sodium metaborate***	LD50 2330 mg/kg (Rat)	LD50 > 2000 mg/kg (Rabbit)	LC50 (4h) > 2.04 mg/l (Rat - Dust - OECD 403)
Phenol, dodecyl-, branched***	LD50 2200 mg/kg (Rat)	LD50 15000 mg/kg (Rabbit - male - OECD402)	

Sensitisation

Sensitisation	Not classified based on available data. The supplier of one of the components contained within this formulation has indicated that they have data, which confirms that at the concentration used, no sensitisation classification is required. Contains sensitizer(s). May produce an allergic reaction.
----------------------	--

Specific effects

Carcinogenicity Not classified based on available data.

Mutagenicity

Germ cell mutagenicity Not classified based on available data.

Reproductive toxicity Not classified based on available data. Contains toxic substance(s) listed as toxic to reproduction.

Chemical Name	European Union
Sodium metaborate*** 7775-19-1	Repr. 2 (H361)
Phenol, dodecyl-, branched*** 121158-58-5	Repr. 1B (H360F)

Repeated Dose Toxicity

Version EUUK



SDS # : 083162

TRANSMISSION GEAR 8 75W-80

Revision Date: 2018-04-23

Version 3.03

Target Organ Effects (STOT)

Specific target organ systemic toxicity (single exposure) Not classified based on available data.

Specific target organ toxicity - repeated exposure Not classified based on available data.

Aspiration toxicity Not classified based on available data.

Other information

Other adverse effects Characteristic skin lesions (oil blisters) may develop following prolonged and repeated exposures (contact with contaminated clothing).

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified based on available data. This product contains one or more components that have a branched alkylphenol impurity which is very toxic to aquatic life (disclosed in section 3). Components containing the impurity have been tested and are not toxic to aquatic life. Therefore, the data in Section 3 for the alkylphenol impurity should not be used to classify the product for aquatic toxicity. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Polysulfides, di-tert-Bu*** 68937-96-2	EC50 (72h) > 100 mg/l (Alga)	EC50 (48h) 63 mg/l (Daphnia magna)		
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7	EL50 (48h) > 100 mg/l (Pseudokirchnerella subcapitata - OECD 201)	EL50 (48h) > 10000 mg/l (Daphnia magna - OECD 202)	LL50 (96h) > 100 mg/l (Oncorhynchus mykiss - OECD 203)	
zinc O,O,O',O'-tetrakis(1,3-dimet hylbutyl) bis(phosphorodithioate)*** 2215-35-2	EL50 (72h) 21 mg/l (Desmodesmus subspicatus - Static - OECD 201)	EL50 (48h) 23 mg/l (Daphnia magna - static - OECD 202)	LL50 (96h) 4.5 mg/l (Oncorhynchus mykiss - semi static - OECD203)	
Oleic acid, compound with (Z)-N-octadec-9-enylpropan e-1,3-diamine (2:1) *** 34140-91-5	EC50r(72h) 0.41 mg/l(Pseudokirchneriella subcapitata-OCDE 201)		LC50(96h) 1.34 mg/l (Danio rerio-OCDE 203)	
Sodium metaborate*** 7775-19-1		LC50 (48h) 133 mg/l (Daphnia magna - static)	LC50 (96h) 74 mg/l (Limanda limanda)	
Phenol, dodecyl-, branched*** 121158-58-5	EbC50 (72h) 0.15 mg/l (Scenedesmus subspicatus - OECD 201)	EC50 (48h) 0.037 mg/l (Daphnia magna -OECD 202)	EL50 (96h) 40 mg/l (Pimephales promelas - OECD 203)	

Version EUUK

SDS # : 083162

TRANSMISSION GEAR 8 75W-80

Revision Date: 2018-04-23

Version 3.03

Chronic aquatic toxicity - Product Information

No information available.

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7		NOEL (21d) 10 mg/l (Daphnia magna - QSAR Petrotox)	NOEL (14/28d) > 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	
zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)*** 2215-35-2		NOEC (21d) 0.4 mg/l (Daphnia magna - OECD 211)		
Oleic acid, compound with (Z)-N-octadec-9-enylpropane-1,3-diamine (2:1) *** 34140-91-5		EC50(21d) 1.4 mg/l (Daphnia magna-OCDE 211)		
Phenol, dodecyl-, branched*** 121158-58-5		NOEC (21d) 0.004 mg/l (Daphnia magna - semi static - OECD211)		

Effects on terrestrial organisms

No information available.

12.2. Persistence and Degradability

General Information

No information available.

12.3. Bioaccumulative potential

Product Information

No information available.

logPow

No information available***

Component Information

Chemical Name	log Pow
Polysulfides, di-tert-Bu*** - 68937-96-2	6
Distillates (petroleum), hydrotreated heavy paraffinic*** - 64742-54-7	-
zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)*** - 2215-35-2	2.21
Phenol, dodecyl-, branched*** - 121158-58-5	7.14

12.4. Mobility in soil

Soil

Given its physical and chemical characteristics, the product generally shows low soil mobility.



SDS # : 083162

TRANSMISSION GEAR 8 75W-80

Revision Date: 2018-04-23

Version 3.03

Air	Loss by evaporation is limited.
Water	The product is insoluble and floats on water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

General Information No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products	Should not be released into the environment. Do not empty into drains. Dispose of in accordance with the European Directives on waste and hazardous waste. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.***
EWC Waste Disposal No	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: 13 02 05.
Other information	Refer to section 8 for safety and protective measures for disposal personnel.

Section 14: TRANSPORT INFORMATION

<u>ADR/RID</u>	not regulated
<u>IMDG/IMO</u>	not regulated
<u>ICAO/IATA</u>	not regulated
<u>ADN</u>	not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Version EUUK



SDS # : 083162

TRANSMISSION GEAR 8 75W-80

Revision Date: 2018-04-23

Version 3.03

European Union

Further information

No information available***

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

15.3. National regulatory information

The United Kingdom

- Avoid exceeding occupational exposure limits (see section 8).

Ireland

- Avoid exceeding occupational exposure limits (see section 8).

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed
 H314 - Causes severe skin burns and eye damage
 H315 - Causes skin irritation
 H317 - May cause an allergic skin reaction
 H318 - Causes serious eye damage
 H319 - Causes serious eye irritation
 H361 - Suspected of damaging fertility or the unborn child if swallowed
 H361f - Suspected of damaging fertility
 H400 - Very toxic to aquatic life
 H410 - Very toxic to aquatic life with long lasting effects
 H411 - Toxic to aquatic life with long lasting effects
 H413 - May cause long lasting harmful effects to aquatic life

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists
 bw = body weight
 bw/day = body weight/day
 EC x = Effect Concentration associated with x% response
 GLP = Good Laboratory Practice
 IARC = International Agency for Research of Cancer
 LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals
 LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals
 LL = Lethal Loading
 NIOSH = National Institute of Occupational Safety and Health
 NOAEL = No Observed Adverse Effect Level

Version EUUK



SDS # : 083162

TRANSMISSION GEAR 8 75W-80

Revision Date: 2018-04-23

Version 3.03

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

DNEL = Derived No Effect Level

PNEC = Predicted No Effect Concentration

dw = dry weight

fw = fresh water

mw = marine water

or = occasional release

Legend Section 8

TWA: Time Weight Average

STEL: Short Time Exposure Limit

+	Sensitiser	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

Revision Date: 2018-04-23

Revision Note *** Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of Safety Data Sheet