

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS # : 32923

TRACTAGRI HDX 15W-40

Revision Date: 2019-01-08

Version 4.11

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	TRACTAGRI HDX 15W-40
Number	JIO
Substance/mixture	Mixture

Date of the previous version: 2018-12-04

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Engine oil.

1.3. Details of the supplier of the safety data sheet

Supplier

A - TOTAL UK LIMITED 183 Eversholt St, Kings Cross London, NW1 1BU UNITED KINGDOM Tel: +44 (0)20 7339 8000 Fax: +44 (0)20 7339 8033

B - TOTAL LUBRIFIANTS 562 Avenue du Parc de L'ile 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71***

For further information, please contact:

Contact Point	A - HSE
E-mail Address	B - HSE*** A - rm.gb-msds@total.co.uk
	B - rm.msds-lubs@total.com***

1.4. Emergency telephone number

Emergency telephone: +44 1235 239670

UK: National Poisons Information Service (NPIS): NHS on 111 or a doctor

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture



TRACTAGRI HDX 15W-40

Revision Date: 2019-01-08

Version 4.11

REGULATION (EC) No 1272/2008 ***

For the full text of the H-Statements mentioned in this Section, see Section 2.2.***

Classification

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008***

2.2. Label elements

Labelled according to

REGULATION (EC) No 1272/2008***

Signal word None***

Hazard Statements *** None***

Precautionary statements None***

Supplemental Hazard Statements EUH210 - Safety data sheet available on request***

EUH208 - Contains Calcium long chain alkarylsulphonate. May produce an allergic reaction***

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.***

Environmental properties The product may form an oil film on the water surface that may stop the oxygen exchange.***

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture***

Chemical nature Hazardous components	Mine ***	eral oil of petroleum ori	gin.***		
Chemical Name	EC-No	REACH Registration Number	CAS-No	Weight %	Classification (Reg. 1272/2008)
Distillates (petroleum), hydrotreated heavy paraffinic***	265-157-1	01-2119484627-25	64742-54-7	5-<10	Asp. Tox. 1 (H304)
Distillates (petroleum), hydrotreated light paraffinic***	265-158-7	01-2119487077-29	64742-55-8	5-<10	Asp. Tox. 1 (H304)
Amines,polyethylenepoly-,re action products with 1,3-dioxolan-2-one and	604-611-9	no data available	147880-09-9	2.5-<5	Aquatic Chronic 4 (H413)



TRACTAGRI HDX 15W-40

Revision Date: 2019-01-08

Version 4.11

succinic anhydride monopolyisobutenyl derivs***					
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts***	272-238-5	01-2119657973-23	68784-31-6	1-<2.5	Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)
Calcium long chain alkarylsulphonate***	-	-	722503-69-7	1-<2.5	Skin Sens. 1B (H317) Aquatic Chronic 4 (H413)
Calcium long chain alkaryl sulfonate***	-	-	722503-68-6	0.25-<1	Aquatic Chronic 4 (H413) Skin Sens.1B (H317)

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.***

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.***
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing.***
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse.***
Inhalation	Remove casualty to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration.***
Ingestion	Clean mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.***
Protection of first-aiders	First aider needs to protect himself. See Section 8 for more detail. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.***
4.2. Most important sympto	oms and effects, both acute and delayed
Eye contact	Not classified based on available data. The supplier of one or more of the components contained within this formulation has indicated that he has data on the components and/or similar mixtures, which confirms that at the concentration used, classification is not required.***
Skin contact	Not classified based on available data. May produce an allergic reaction.***
Inhalation	Not classified based on available data. Inhalation of vapours in high concentration may cause irritation of respiratory system.***
Ingestion	Not classified based on available data. Ingestion may cause gastrointestinal irritation,



TRACTAGRI HDX 15W-40

Revision Date: 2019-01-08 Version 4.11 nausea, vomiting and diarrhoea.*** 4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.*** Notes to physician Section 5: FIRE-FIGHTING MEASURES 5.1. Extinguishing media Carbon dioxide (CO2). ABC powder. Foam. Water spray or fog.*** Suitable extinguishing media Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire. 5.2. Special hazards arising from the substance or mixture Incomplete combustion and thermolysis may produce gases of varying toxicity such as Special hazard carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. Combustion products include sulphur oxides (SO2 and SO3) and Hydrogen sulphide H2S, Mercaptans, Nitrogen oxides (NOx), Phosphorous oxides, Silicon dioxide, Zinc oxides.*** 5.3. Precautions for fire-fighters Wear self-contained breathing apparatus and protective suit.*** Special protective equipment for fire-fighters Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Section 6: ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions, protective equipment and emergency procedures **General Information** Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.** 6.2. Environmental precautions **General Information** Do not allow material to contaminate ground water system. Prevent entry into waterways, sewers, basements or confined areas. Local authorities should be advised if significant spillages cannot be contained.** 6.3. Methods and material for containment and cleaning up Methods for containment Dike to collect large liquid spills. If necessary dike the product with dry earth, sand or similar non-combustible materials.***



TRACTAGRI HDX 15W-40

Revision Date: 2019-01-08

Version 4.11

contamination, remove contaminated soil for remediation or disposal, in accordance with local regulations. ***

6.4. Reference to other sections

Personal protective equipment See Section 8 for more detail.

Waste treatment See section 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling	For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.***
Prevention of fire and explosion	Take precautionary measures against static discharges.***
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.***

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce all the statutory information from the labels onto the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Store at room temperature. Protect from moisture.***
Materials to avoid	Strong oxidising agents.***
7.3. Specific use(s)	
Specific use(s)	Please refer to Technical Data Sheet for further information.***

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parametres

Exposure limits	Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined)
Legend	See section 16

Page 5/14



TRACTAGRI HDX 15W-40

Revision Date: 2019-01-08

Version 4.11

Derived No Effect Level (DNEL)

DNEL Worker (Industrial/Professional)***

Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
			5.4 mg/m³/8h (aerosol - inhalation)
			5.4 mg/m ³ /8h (aerosol - inhalation)
		9.6 mg/kg bw/day (dermal) 6.6 mg/m³ (inhalation)	
Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
			1.2 mg/m ³ /24h (aerosol - inhalation)
			1.2 mg/m³/24h (aerosol - inhalation)
		4.8 mg/kg bw/day (dermal) 1.67 mg/m ³ (inhalation) 0.19 mg/kg bw/day (oral)	
	effects Short term, systemic	effects	effects effects effects effects effects 9.6 mg/kg bw/day (dermal) 9.6 mg/kg bw/day (dermal) 9.6 mg/kg bw/day Short term, systemic effects 9.6 mg/m³ (inhalation) Short term, systemic effects 1 4.8 mg/kg bw/day (dermal) 4.8 mg/kg bw/day (dermal) 1.67 mg/m³ (inhalation)

Predicted No Effect Concentration (PNEC)

Chemical Name	Water	Sediment	Soil	Air	STP	Oral
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts*** 68784-31-6	4 μg/l fw 4.6 μg/l mw 4.4 μg/l or	0.00701 mg/kg dw mw	0.0548 mg/kg dw		3.8 mg/l	8.33 mg/kg

8.2. Exposure controls

Occupational Exposure Controls

Engineering measures

Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.***



TRACTAGRI HDX 15W-40

Revision Date: 2019-01-08

Version 4.11

Personal protective equipment

General Information	Protective engineering solutions should be implemented and in use before personal protective equipment is considered. The personal protective equipment (PPE) recommendations apply to the product AS DELIVERED. In case of mixtures or formulations, it is suggested that you contact the relevant PPE suppliers.***
Respiratory protection	None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P1. Warning ! filters have a limited use duration. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.***
Eye protection	If splashes are likely to occur, wear:. Safety glasses with side-shields. EN 166.***
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing. Type 4/6.***
Hand protection	Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. In case of prolonged contact with the product, it is recommended to wear gloves complying with EN 420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.***

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Colour Physical state @20°C Odour Odour Threshold		Clear*** amber*** liquid*** characteristic*** No information available***	
<u>Property</u> pH Melting point/range	<u>Values</u>	Remarks Not applicable*** Not applicable***	<u>Method</u>
Boiling point/boiling range		No information available***	
Flash point ***	230*** °C*** 446*** °F***		Cleveland Open Cup (COC)*** Cleveland Open Cup (COC)***

Version EUUK



TRACTAGRI HDX 15W-40

Revision Date: 2019-01-08

Version 4.11

Evapouration rate		No information available***	
Flammability Limits in Air		***	
Upper *** Lower *** Vapour pressure Vapour density Relative density Density Water solubility Solubility in other solvents logPow Autoignition temperature Decomposition temperature Viscosity, kinematic *** Explosive properties Oxidising properties Possibility of hazardous reactions	0.872*** 872*** kg/m ^{3***} *** 115*** mm2/s*** Not explosive*** Not applicable*** None under normal proc	No information available*** No information available*** No information available*** @ 15 °C*** @ 15 °C*** Insoluble*** No information available*** No information available*** No information available*** No information available @ 40 °C ***	*** *** ASTM D445 ***
9.2. Other information			
Freezing point		No information available	
Section 10: STABILITY AND	REACTIVITY		
10.1. Reactivity			
General Information	None under normal proc	cessing.***	
10.2. Chemical stability			
Stability	Stable under recommen	ded storage conditions.	
10.3. Possibility of hazardo	us reactions		
Hazardous reactions	No dangerous reaction l	known under conditions of norma	l use.***
10.4. Conditions to avoid			
Conditions to avoid	Keep away from open flames, hot surfaces and sources of ignition. Keep away from heat and sparks.***		
10.5. Incompatible materia	ls		
Materials to avoid	Strong oxidising agents	***	
10.6. Hazardous Decompos	ition Products		
Hazardous Decomposition Product			ses of varying toxicity such as aldehydes and soot. Combustion



TRACTAGRI HDX 15W-40

Revision Date: 2019-01-08

Version 4.11

products include sulphur oxides (SO2 and SO3) and Hydrogen sulphide H2S, Mercaptans, Nitrogen oxides (NOx), Phosphorous oxides, Silicon dioxide, Zinc oxides.***

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact	. Not classified based on available data. May produce an allergic reaction.***
Eye contact	. Not classified based on available data. The supplier of one or more of the components contained within this formulation has indicated that he has data on the components and/or similar mixtures, which confirms that at the concentration used, classification is not required.***
Inhalation	. Not classified based on available data. Inhalation of vapours in high concentration may cause irritation of respiratory system.***
Ingestion	. Not classified based on available data. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.***

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates (petroleum), hydrotreated heavy	LD50 > 5000 mg/kg bw (rat -	LD50 > 5000 mg/kg bw (rabbit -	LC50 (4h) > 5 mg/l (aerosol) (rat
paraffinic***	OECD 420)	OECD 402)	OECD 403)
Distillates (petroleum), hydrotreated light	LD50 > 5000 mg/kg bw (rat -	5 5 X	LC50 (4h) > 5 mg/l (aerosol) (rat
paraffinic***	OECD 420)	OECD 402)	OECD 403)
Phosphorodithioic acid, mixed O.O-bis(sec-Bu and 1,3-dimethylbutyl)	2900 mg/kg (rat)	> 5000 mg/kg (rabbit)	
esters, zinc salts***			
Sensitisation			
Sensitisation	Not classified based on availal contained within this formulation		

similar mixtures, which confirms that at the concentration used, classification is not

required. Contains senitizer(s). May produce an allergic reaction.***

Specific effects

CarcinogenicityNot classified based on available data. During use in engines, contamination of oil with low
levels of combustion products occurs. Used motor oils have been shown to cause skin
cancer in mice following repeated application and continuous exposure. Brief or intermittent
skin contact with used motor oil is not expected to have serious effects in humans if the oil
is thoroughly removed by washing with soap and water.***
Not classified based on available data.***Mutagenicity
Germ cell mutagenicityNot classified based on available data.***Reproductive toxicityNot classified based on available data.***



TRACTAGRI HDX 15W-40

Revision Date: 2019-01-08

Version 4.11

Repeated dose toxicity	
Target Organ Effects (STOT)	
Specific target organ systemic toxicity (single exposure)	Not classified based on available data.***
Specific target organ toxicity - repeated exposure	Not classified based on available data.***
Aspiration toxicity	Not classified based on available data.***
Other information	
Other adverse effects	Characteristic skin lesions (oil blisters) may develop following prolonged and repeated exposures (contact with contaminated clothing).***

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified based on available data.***

Acute aquatic toxicity - Product Information***

No information available.***

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7	EL50 (48h) > 100 mg/l (Pseudokirchnerella subcapitata - OECD 201)	EL50 (48h) > 10000 mg/l (Daphnia magna - OECD 202)	LL50 (96h) > 100 mg/l (Oncorhynchus mykiss - OECD 203)	
Distillates (petroleum), hydrotreated light paraffinic*** 64742-55-8	EL50 (72h) > 100 mg/l (Pseudokirchneriella subcapitata - OCDE 201)	EL50 (48h) > 10000 mg/L (Daphnia magna - OCDE 202)	LL50 (96h) > 100 mg/L (Oncorhynchus mykiss - OCDE 203)	
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts*** 68784-31-6	EbL50 (72h) 240 mg/l Desmodesmus subspicatus ErL50 (0-72hr) 410 mg/L	EL50 (48h) 75 mg/l daphnia magna	LL50 (96h) 4.4 mg/l Oncorhynchus mykiss	

Chronic aquatic toxicity - Product Information

No information available.***

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic	Toxicity to fish	Toxicity to microorganisms
---------------	-------------------	--	------------------	-------------------------------



TRACTAGRI HDX 15W-40

Revision Date: 2019-01-08

Version 4.11

	invertebrates.		
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7	NOEL (21d) 10 mg/l (Daphnia magna - QSAR Petrotox)	NOEL (14/28d) > 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	
Distillates (petroleum), hydrotreated light paraffinic*** 64742-55-8	NOEL (21d) 10 mg/l (Daphnia magna - OCDE 211)	NOEL (14/28d) >1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	

Effects on terrestrial organisms

No information available.***

12.2. Persistence and Degradability

General Information

No information available.

12.3. Bioaccumulative potential

Product Information	No information available.**	*	
logPow Component Information	No information available*	*	
Chemical Na		log Pow	
Distillates (petroleum), hydrotreated he	avy paraffinic*** - 64742-54-7	-	
12.4. Mobility in soil			
Soil	Given its physical and che mobility.***	mical characteristics, the product generally shows low soil	
Air	Loss by evaporation is lim	ted.***	
Water	The product is insoluble and floats on water.***		
12.5. Results of PBT and v	PvB assessment		
PBT and vPvB assessment	No information available.**	*	
12.6. Other adverse effects	<u>S</u>		
General Information	No information available.**	*	
Section 13: DISPOSAL CON	ISIDERATIONS		

13.1. Waste treatment methods

Waste from residues / unused
productsShould not be released into the environment. Dispose of in accordance with the European
Directives on waste and hazardous waste. Where possible recycling is preferred to disposal



SDS # : 32923	TRACTAGRI HDX 15W-40	
	Revision Date: 2019-01-08	Version 4.11
	or incineration. After use, this oil must be sent to a licensed waste oil facility disposal of used oil poses a risk to the environment. Mixture with other wast solvents, brake- and cooling liquids is forbidden.***	
Contaminated packageing	Empty containers should be taken to an approved waste handling site for re disposal.***	cycling or
EWC Waste Disposal No	According to the European Waste Catalogue, Waste Codes are not product application specific. Waste codes should be assigned by the user based on for which the product was used. The following Waste Codes are only sugge 05.***	the application
Other information	Refer to section 8 for safety and protective measures for disposal personnel	.***
Section 14: TRANSPORT IN	NFORMATION	
ADR/RID	not regulated	
IMDG/IMO	not regulated	

ICAO/IATA

ADN not regulated

Section 15: REGULATORY INFORMATION

not regulated

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

REACH

All substances contained in this mixture have been pre-registered, registered or are exempt from registration in accordance with Regulation (CE) No. 1907/2006 (REACh)***

International Inventories All the substances contained in this product are listed or exempted from listing in the following inventories: U.S.A. (TSCA) Australia (AICS) Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Philippines (PICCS) Korea (KECL) New Zealand (NZIoC)***

Further information



TRACTAGRI HDX 15W-40

Revision Date: 2019-01-08

Version 4.11

No information available***

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available***

15.3. National regulatory information

The United Kingdom

• Avoid exceeding occupational exposure limits (see section 8).

Ireland

· Avoid exceeding occupational exposure limits (see section 8).

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H304 - May be fatal if swallowed and enters airways

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

H413 - May cause long lasting harmful effects to aquatic life***

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists bw = body weight bw/day = body weight/day EC x = Effect Concentration associated with x% response GLP = Good Laboratory Practice IARC = International Agency for Research of Cancer LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading NIOSH = National Institute of Occupational Safety and Health NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration NOEL = No Observed Effect Level OECD = Organization for Economic Co-operation and Development OSHA = Occupational Safety and Health Administration UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material DNEL = Derived No Effect Level PNEC = Predicted No Effect Concentration dw = dry weight fw = fresh water mw = marine water or = occasional release Legend Section 8

Version EUUK

TRACTAGRI HDX 15W-40

Revision Date: 2019-01-08

Version 4.11

TWA: Time Weight Average STEL: Short Time Exposure Limit

+	Sensitiser	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

 Revision Date:
 2019-01-08

 Revision Note
 *** Indicates updated section.

 This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of Safety Data Sheet