

<b>HONDA</b>	<b>SAFETY DATA SHEET</b>	Page : 1 / 11
	<b>HONDA Ultra MTF3</b>	Revision nr : 6.0
		Issue date : 14/12/2020
		Supersedes : 16/07/2020
		<b>HONDA-31</b>

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : HONDA Ultra MTF3  
Product code : 0826799902HE, 0826799920HE  
Product group : Trade product  
Document no. : HONDA-31

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Lubricants

#### 1.2.2. Uses advised against

No data available

### 1.3. Details of the supplier of the safety data sheet

Honda Motor Europe Logistics NV  
Langerbruggestraat 104  
9000 Gent - BELGIUM  
T +32 (0)9 250 1211 - F +32 (0)9 250 1230  
[HMEL.SDS@honda-eu.com](mailto:HMEL.SDS@honda-eu.com)

### 1.4. Emergency telephone number

Emergency number : +32 (0)3 575 0330  
This telephone number is available 24 hours per day, 7 days per week.

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, 24/7, healthcare professionals only)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Eye Irrit. 2 H319

Full text of H statements : see section 16

<b>HONDA</b>	<b>SAFETY DATA SHEET</b>	Page : 2 / 11
	<b>HONDA Ultra MTF3</b>	Revision nr : 6.0
		Issue date : 14/12/2020
		Supersedes : 16/07/2020
		<b>HONDA-31</b>

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P202 - Do not handle until all safety precautions have been read and understood.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## 2.3. Other hazards

Other hazards : Results of PBT and vPvB assessment : Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Comments : Base oil, DMSO < 3%

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	(CAS-No.) 68649-42-3 (EC-No.) 272-028-3	0,1 – 0,9	Eye Dam. 1, H318
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and isopropyl) esters, zinc salts	(CAS-No.) 84605-29-8 (EC-No.) 283-392-8	0,1 – 0,9	Eye Dam. 1, H318
Zinc, bis[O,O-bis(1,3-dimethylbutyl) phosphorodithioato-S,S']-, (T-4)-	(CAS-No.) 2215-35-2 (EC-No.) 218-679-9	0,1 – 0,9	Eye Dam. 1, H318

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Additional advice : First aider: Pay attention to self-protection!. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance.

Inhalation : Remove casualty to fresh air and keep warm and at rest. In case of doubt or persistent symptoms, consult always a physician.

<b>HONDA</b>	<b>SAFETY DATA SHEET</b>	Page : 3 / 11
	<b>HONDA Ultra MTF3</b>	Revision nr : 6.0
		Issue date : 14/12/2020
		Supersedes : 16/07/2020
		<b>HONDA-31</b>

- Skin contact : Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. In case of doubt or persistent symptoms, consult always a physician.
- Eyes contact : Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of doubt or persistent symptoms, consult always a physician.
- Ingestion : Rinse mouth thoroughly with water. Do not induce vomiting. Get medical advice/attention. Drink plenty of water.

**4.2. Most important symptoms and effects, both acute and delayed**

- Inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
- Skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.
- Eyes contact : Causes serious eye irritation. The following symptoms may occur: redness, itching, tears, Pain, Blurred vision.
- Ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use. May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

- Suitable extinguishing media : carbon dioxide (CO<sub>2</sub>), powder, alcohol-resistant foam, water spray. Dry sand.
- Unsuitable extinguishing media : Strong water jet.

**5.2. Special hazards arising from the substance or mixture**

- Specific hazards : Not flammable. Heating will cause a rise in pressure with a risk of bursting.
- Hazardous decomposition products in case of fire : Carbon oxides (CO, CO<sub>2</sub>). irritating fumes. Other toxic gases.

**5.3. Advice for firefighters**

- Firefighting instructions : Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.
- Other information : Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**6.1.1. For non-emergency personnel**

- For non-emergency personnel : Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**6.1.2. For emergency responders**

- For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

<b>HONDA</b>	<b>SAFETY DATA SHEET</b>	Page : 4 / 11
	<b>HONDA Ultra MTF3</b>	Revision nr : 6.0
		Issue date : 14/12/2020
		Supersedes : 16/07/2020
		<b>HONDA-31</b>

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters. Site should have a spill plan to ensure that adequate safeguards are in place to minimize the impact of episodic releases.

### **6.3. Methods and material for containment and cleaning up**

Methods for cleaning up : Stop leak if safe to do so. Dam up the liquid spill. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Recover large spills by pumping (use an explosion proof or hand pump). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation. Special danger of slipping by leaking/spilling product.

### **6.4. Reference to other sections**

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

Precautions for safe handling : Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hygiene measures : Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

### **7.2. Conditions for safe storage, including any incompatibilities**

Technical measures : Prevent shock/impact.

Storage conditions : Store in a dry, cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10. Bund storage facilities to prevent soil and water pollution in the event of spillage.

Incompatible substances or mixtures : Oxidizing agent. Halogens. Strong acids. alkalis.

Heat and ignition sources : Keep away from open flames, hot surfaces and sources of ignition. Keep out of direct sunlight. Do not smoke.

Special rules on packaging : Keep in properly labelled containers.

Packaging materials : Keep only in the original container.

### **7.3. Specific end use(s)**

No data available.

## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**

<b>HONDA Ultra MTF3</b>	
EU	Mineral oil OEL's : oil (mist) TLV-TWA (mg/m <sup>3</sup> ) : 1 (SE, DK, NO); 5 (BE, GB, FR, DE, NL, ES, FI) oil (mist) TLV-STEL (mg/m <sup>3</sup> ) : 3 (SE); 10 (BE, GB):

Additional information : Concentration measurement in air. Personal air monitoring

### **8.2. Exposure controls**

Engineering measure(s) : Provide adequate ventilation. Organisational measures to prevent /limit releases, dispersion and exposure. See Section 7 for information on safe handling.

<b>HONDA</b>	<b>SAFETY DATA SHEET</b>	Page : 5 / 11
	<b>HONDA Ultra MTF3</b>	Revision nr : 6.0
		Issue date : 14/12/2020
		Supersedes : 16/07/2020
		<b>HONDA-31</b>

Personal protective equipment	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hand protection	: In case of repeated or prolonged contact wear gloves. Wear chemically resistant gloves (tested to EN374) . Suitable material: Nitrile rubber. Thickness : > 0,3 mm. Breakthrough time : > 8h. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
Eye protection	: Use suitable eye protection (EN166): Safety glasses with side shields
Body protection	: Wear suitable protective clothing
Respiratory protection	: Not required for normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (DIN EN 140). full face mask (DIN EN 136). Filter type: A (EN 141). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. (EN 137)
Thermal hazard protection	: Not required for normal conditions of use. Use dedicated equipment.
Environmental exposure controls	: Avoid release to the environment. Comply with applicable Community environmental protection legislation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: light brown.
Odour	: slight.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting / freezing point	: No data available
Freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: ≥ 170 °C (COC)
Auto-ignition temperature	: 200 – 410 °C (estimated value)
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable, liquid
Vapour pressure	: No data available
Vapour density	: No data available
Relative density	: 0,867 (15 °C)
Solubility	: Water: Insoluble
Partition coefficient n-octanol/water	: No data available
Kinematic viscosity	: > 20,5 mm <sup>2</sup> /s (40 °C)
Dynamic viscosity	: No data available
Explosive properties	: Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
Oxidising properties	: Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.

<b>HONDA</b>	<b>SAFETY DATA SHEET</b>	Page : 6 / 11
	<b>HONDA Ultra MTF3</b>	Revision nr : 6.0
		Issue date : 14/12/2020
		Supersedes : 16/07/2020
		<b>HONDA-31</b>

Explosive limits : LEL 1 % - UEL 7 %

**9.2. Other information**

Other properties : Pour point : -45°C.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

None under normal conditions. Reference to other sections 10.4 & 10.5.

**10.2. Chemical stability**

Stable at normal ambient temperature and pressure.

**10.3. Possibility of hazardous reactions**

No dangerous reactions known under normal conditions of use. Reacts with (strong) oxidizers.

**10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. See Section 7 for information on safe handling.

**10.5. Incompatible materials**

Halogens. Strong acids. alkalis. See Section 7 for information on safe handling.

**10.6. Hazardous decomposition products**

Carbon oxides (CO, CO<sub>2</sub>). Reference to other sections 5.2.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

<b>Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and isopropyl) esters, zinc salts (84605-29-8)</b>	
LD50/oral/rat	3200 mg/kg
LD50/dermal/rabbit	> 2000 mg/kg
<b>Zinc, bis[O,O-bis(1,3-dimethylbutyl) phosphorodithioato-S,S']-, (T-4)- (2215-35-2)</b>	
LD50/oral/rat	2000 – 5000 mg/kg
LD50/dermal/rabbit	> 3160 mg/kg

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)  
pH: No data available

Serious eye damage/irritation : Causes serious eye irritation.  
pH: No data available

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

<b>HONDA Ultra MTF3</b>	
Kinematic viscosity	> 20,5 mm <sup>2</sup> /s (40 °C)

Other information : Symptoms related to the physical, chemical and toxicological characteristics. For further information see section 4.

<b>HONDA</b>	<b>SAFETY DATA SHEET</b>	Page : 7 / 11
	<b>HONDA Ultra MTF3</b>	Revision nr : 6.0
		Issue date : 14/12/2020
		Supersedes : 16/07/2020
		<b>HONDA-31</b>

## SECTION 12: Ecological information

### 12.1. Toxicity

Environmental properties : Harmful to aquatic life with long lasting effects.

<b>Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)</b>	
LC50 - Fish [1]	1 – 5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	1 – 1,5 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	10 – 35 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static])
<b>Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and isopropyl) esters, zinc salts (84605-29-8)</b>	
LC50 - Fish [1]	10 – 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	0,1 – 1 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	38 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
<b>Zinc, bis[O,O-bis(1,3-dimethylbutyl) phosphorodithioato-S,S']-, (T-4)- (2215-35-2)</b>	
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static])
EC50 - Crustacea [1]	4 – 6 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	25 – 50 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

### 12.2. Persistence and degradability

<b>HONDA Ultra MTF3</b>	
Persistence and degradability	No data available.

### 12.3. Bioaccumulative potential

<b>HONDA Ultra MTF3</b>	
Partition coefficient n-octanol/water	No data available
Bioaccumulative potential	No data available.

### 12.4. Mobility in soil

<b>HONDA Ultra MTF3</b>	
Mobility in soil	No data available

### 12.5. Results of PBT and vPvB assessment

<b>HONDA Ultra MTF3</b>	
Results of PBT assessment	No data available

### 12.6. Other adverse effects

Other adverse effects : No data available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Avoid release to the environment. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.

European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC) : This material and its container must be disposed of as hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. The following Waste Codes are only suggestions:  
130205 - mineral-based non-chlorinated engine, gear and lubricating oils

<b>HONDA</b>	<b>SAFETY DATA SHEET</b>	Page : 8 / 11
	<b>HONDA Ultra MTF3</b>	Revision nr : 6.0
		Issue date : 14/12/2020
		Supersedes : 16/07/2020
		<b>HONDA-31</b>

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

Special precautions for user : No data available

#### - Overland transport

Not applicable

#### - Transport by sea

Not applicable

#### - Air transport

Not applicable

#### - Inland waterway transport

Not applicable

#### - Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Code: IBC : No data available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

<b>HONDA</b>	<b>SAFETY DATA SHEET</b>	Page : 9 / 11
	<b>HONDA Ultra MTF3</b>	Revision nr : 6.0
		Issue date : 14/12/2020
		Supersedes : 16/07/2020
		<b>HONDA-31</b>

France  
Installations classées :  
Not applicable.

#### France

No ICPE	Installations classées Désignation de la rubrique	Code Régime	Rayon
na	Not Applicable	na	na

#### Germany

Regulatory reference : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)  
Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)  
Hazardous Incident Ordinance (12. BlmSchV) : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Netherlands

Waterbezwaarlijkheid : B (5) - Weinig schadelijk voor in het water levende organismen  
Saneringsinspanningen : B - Lozing minimaliseren; toepassen van best uitvoerbare technieken  
SZW-lijst van kankerverwekkende stoffen : Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts, Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and isopropyl) esters, zinc salts are listed  
SZW-lijst van mutagene stoffen : Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts, Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and isopropyl) esters, zinc salts are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

#### Norway

This safety datasheet has been prepared according to Norwegian legislation. :

#### Poland

This safety datasheet has been prepared according to Polish legislation. :

### 15.2. Chemical safety assessment

Not applicable

## SECTION 16: Other information

Indication of changes:

3.2	Composition	Modified	
4.2	Ingestion	Modified	
5.2	Hazardous decomposition products in case of fire	Modified	

<b>HONDA</b>	<b>SAFETY DATA SHEET</b>	Page : 10 / 11
	<b>HONDA Ultra MTF3</b>	Revision nr : 6.0
		Issue date : 14/12/2020
		Supersedes : 16/07/2020
		<b>HONDA-31</b>

7.2	Technical measures	Modified	
7.2	Incompatible substances or mixtures	Modified	
9.1	Flash point	Modified	
10.3	Possibility of hazardous reactions	Modified	
10.5	Incompatible materials	Modified	
15.1	Regulatory reference	Added	
15.1	Waterbezwaarlijkheid	Added	
16	Other information	Modified	

Abbreviations and acronyms:

	ABM = Algemene beoordelingsmethodiek
	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
	CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
	IATA = International Air Transport Association
	IMDG = International Maritime Dangerous Goods Code
	LEL = Lower Explosive Limit/Lower Explosion Limit
	UEL = Upper Explosion Limit/Upper Explosive Limit
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	BTT = Breakthrough time (maximum wearing time)
	DMEL = Derived Minimal Effect level
	DNEL = Derived No Effect Level
	EC50 = Median Effective Concentration
	EL50 = Median effective level
	ErC50 = EC50 in terms of reduction of growth rate
	ErL50 = EL50 in terms of reduction of growth rate
	EWC = European waste catalogue
	LC50 = Median lethal concentration
	LD50 = Median lethal dose
	LL50 = Median lethal level
	NA = Not applicable
	NOEC = No observed effect concentration
	NOEL: no-observed-effect level
	NOELR = No observed effect loading rate
	NOAEC = No observed adverse effect concentration
	NOAEL = No observed adverse effect level
	N.O.S. = Not Otherwise Specified
	OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
	PNEC = Predicted No Effect Concentration
	Quantitative structure-activity relationship (QSAR)
	STOT = Specific Target Organ Toxicity
	TWA = time weighted average
	VOC = Volatile organic compounds
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the datasheet : Safety Data Sheet: Supplier. ECHA (European Chemicals Agency), LOLI.

Training advice : Training staff on good practice. Manipulations are to be done only by qualified and authorised persons.

Other information : Classification - Assessment method: CLP Calculation method (Article 9).  
Physicochemical hazard assessment: Information given is based on tests on the mixture itself.

Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
------------	---

<b>HONDA</b>	<b>SAFETY DATA SHEET</b>	Page : 11 / 11
	<b>HONDA Ultra MTF3</b>	Revision nr : 6.0
		Issue date : 14/12/2020
		Supersedes : 16/07/2020
		<b>HONDA-31</b>

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Classification according to Regulation (EC) No. 1272/2008 [CLP]  
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.