SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : 7100 10W50 4T Product code : 16702

1.2. Relevant identified uses of the substance or mixture and uses advised against

4-stroke engine lubricant

1.3. Details of the supplier of the safety data sheet

Registered company name : MOTUL Address : 119, Boulevard Felix Faure. 93300 AUBERVILLIERS CEDEX FRANCE Telephone : 33.1.48.11.70.00. Fax: 33.1.48.33.28.79. Telex: . Email : motul_hse@motul.fr

1.4. Emergency telephone number : +44 (0) 1235 239 670.

Association/Organisation : ORFILA.

Other emergency numbers

BRAZIL : +55 11 3197 5891 / COLOMBIA : +57 1 508 7337 / ARGENTINA : +54 11 5984 3690 / CHILE : +562 2582 9336 Ireland : +353 1 8092566 UNITED STATES: 001 866 928 0789 / CANADA: 001 800 579 7421 / MEXICO : +52 55 5004 8763 / MIDDLE EAST - AFRICA : +44 1235 239671

24 hours a day, 7 days a week

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

No labelling requirements for this mixture.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	(EC) 1272/2008	Note	%
CAS: 72623-87-1		L	50 <= x % < 100
EC: 276-738-4			
LUBRICATING OILS (PETROLEUM),			
C20-50, HYDROTREATED NEUTRAL			
OIL-BASED			
CAS: 72623-87-1	GHS08	L	2.5 <= x % < 10
EC: 276-738-4	Dgr		
REACH: 01-2119474889-13	Asp. Tox. 1, H304		
LUBRICATING OILS (PETROLEUM),			
C20-50, HYDROTREATED NEUTRAL			
OIL-BASED			
CAS: 64742-54-7	GHS08	L	2.5 <= x % < 10
EC: 265-157-1	Dgr		

SAFETY DATA SHEET (REGULATION (EC) n° 19 7100 10W50 4T - 16702	07/2006 - REACH)	Version 5.1	(16-12-2020) - Page 2/7
REACH: 01-2119484627-25	Asp. Tox. 1, H304		
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC			
(Full text of H-phrases: see section 16)			
Information on ingredients :			
Note L: The carcinogen classification does no measured using the IP 346 method.	t apply because the substance contains less than 3 % w/v	w of dimethyl s	ulphoxide (DMSO)
SECTION 4 : FIRST AID MEASURES			
As a general rule, in case of doubt or if symptome paralit, sheavys call a doubt.			

4.1. Description of first aid measures

In the event of exposure by inhalation :

Remove the victim to fresh air. If the symptoms persist, call a physician.

In the event of splashes or contact with eyes :

Wash immediately and abundantly with water, including under the eyelids.

In the event of splashes or contact with skin :

Immediately remove all soiled clothing.

Wash immediately and abundantly with soap and water.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

Dry agent, foam, carbon dioxide.

Unsuitable methods of extinction

High volume water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Spilled product may make surfaces slippery.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

To be translated (XML)

No special precaution apart from the observance of hygiene rules

Fire prevention :

Prevent access by unauthorised personnel.

Take precautionary measures against static discharges by bonding and grounding equipment.

No smoking.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Ensure good ventilation at the workplace

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

Do not breathe fumes, vapour, spray.

7.2. Conditions for safe storage, including any incompatibilities

Store between 5° C and 40° C in a dry, well ventilated place.

Only use hydrocarbon-resistant containers, joints and pipes.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)

Final use:	Workers.	
Exposure method:	Inhalation.	
Potential health effects:	Long term local effects.	
DNEL :	5.4 mg of substance/m3	
Final use:	Consumers.	

Exposure method: Potential health effects: DNEL : Inhalation.

Long term local effects. 1.2 mg of substance/m3

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction. Personnel shall wear regularly laundered overalls.

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eves.

Use eye protectors designed to protect against liquid splashes Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

DIEET (RIZZUJATION (KC) + 1807000 - FEAD)				Version 5.1 (16-12-2020) - Page 4/7	
0005 (F - 1072)					
r suitable protecting g	fores in the event of prolonged or s ded :	ngaaled akin contact.			
,		0.38 mm			
		> 480 mn			

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Breathing apparatus only when aerosol or spray are formed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information :

	Physic	al state :	Fluid liquid.
	Color:		red
2	Imp	oortant health, safety and environmental information	
	pH :		Not relevant.
	Flash	Point Interval :	FP > 100°C.
	Vapdu	ır pressure (50°C) :	Not relevant.
	Den\$it	ty :	<1
	Water	solubility :	Insoluble.
	Visdos	sity :	122.4 mm²/s à 40°C

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Keep away from heat and from sources of ignition

Take precautionary measures against static discharges.

10.5. Incompatible materials

Strong oxidants

Acids

10.6. Hazardous decomposition products

- The thermal decomposition may release/form :
- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No data available.

11.1.1. Substances

Acute toxicity :

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC (CAS: 64742-54-7) Oral route : LD50 > 5000 mg/kg

Species : Rat

OCDE Ligne directrice 401 (Toxicité aiguë par voie orale)

Dermal route :

LD50 > 5000 mg/kg Species : Rabbit

	AFETY DATA SHEET (REGULATION (EC) n° 190 100 10W50 4T - 16702		Version 5.1 (16-12-2020) - Page 5/7		
		OCDE Ligne directrice 402 (Toxici	té aiguë par voie cutanée)		
	Inhalation route (Dusts/mist) :	LC50 > 5.53 mg/l			
		OCDE Ligne directrice 403 (Toxici	té aiguë par inhalation)		
	Specific target organ systemic toxicity - repea	ated exposure :			
	DISTILLATES (PETROLEUM), HYDROTREA				
	Oral route :	C = 125 mg/kg poids corporel/jour			
		Species : Rat			
		Duration of exposure : 90 jours			
		jours)	té orale à doses répétées - rongeurs: 90		
	Dermal route :	C = 30 mg/kg poids corporel/jour			
		Species : Rat			
		Duration of exposure : 90 jours			
			té cutanée subchronique: 90 jours)		
	11.1.2. Mixture				
	Skin corrosion/skin irritation :				
	Repeated or prolonged contact with the prepar absorption through the skin.	ration may cause removal of natural fat from t	he skin resulting in non allergic contact dermatitis a		
	Serious damage to eyes/eye irritation :				
	Mild eye irritation				
	-				
	Aspiration hazard :	· · · · · · · · · · · · · · · · · · ·			
	May cause lung damage if swallowed	ne respiratory system in very susceptible pers	ons."		
	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum			
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum			
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum			
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum N	ans.		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum N	ans.		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum N N ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l	ans.		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum N	ans.		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum N N ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l Species : Pimephales promelas	ans.		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum N ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l Species : Pimephales promelas Duration of exposure : 96 h	ans.		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum N ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l Species : Pimephales promelas Duration of exposure : 96 h NOEC = 1000 mg/l	ans.		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum N ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l Species : Pimephales promelas Duration of exposure : 96 h NOEC = 1000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 14 jours EC50 > 10000 mg/l	ans.		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA Fish toxicity :	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum N ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l Species : Pimephales promelas Duration of exposure : 96 h NOEC = 1000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 14 jours EC50 > 10000 mg/l Species : Daphnia magna	ans.		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA Fish toxicity :	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum N ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l Species : Pimephales promelas Duration of exposure : 96 h NOEC = 1000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 14 jours EC50 > 10000 mg/l	ans.		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA Fish toxicity :	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum N ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l Species : Pimephales promelas Duration of exposure : 96 h NOEC = 1000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 14 jours EC50 > 10000 mg/l Species : Daphnia magna	ans.		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA Fish toxicity :	ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l Species : Pimephales promelas Duration of exposure : 96 h NOEC = 1000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 14 jours EC50 > 10000 mg/l Species : Daphnia magna Duration of exposure : 48 h	ans.		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA Fish toxicity :	ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l Species : Pimephales promelas Duration of exposure : 96 h NOEC = 1000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 14 jours EC50 > 10000 mg/l Species : Daphnia magna Duration of exposure : 48 h NOEC = 10 mg/l	ans.		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA Fish toxicity :	ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l Species : Pimephales promelas Duration of exposure : 96 h NOEC = 1000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 14 jours EC50 > 10000 mg/l Species : Daphnia magna Duration of exposure : 48 h NOEC = 10 mg/l Species : Daphnia magna	ans.		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA Fish toxicity : Crustacean toxicity :	ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l Species : Pimephales promelas Duration of exposure : 96 h NOEC = 1000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 14 jours EC50 > 10000 mg/l Species : Daphnia magna Duration of exposure : 48 h NOEC = 10 mg/l Species : Daphnia magna Duration of exposure : 21 jours	nans. 7)		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA Fish toxicity : Crustacean toxicity :	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum N ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l Species : Pimephales promelas Duration of exposure : 96 h NOEC = 1000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 14 jours EC50 > 10000 mg/l Species : Daphnia magna Duration of exposure : 48 h NOEC = 10 mg/l Species : Daphnia magna Duration of exposure : 21 jours NOEC >= 100 mg/l	nans. 7)		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA Fish toxicity : Crustacean toxicity :	gency for Research on Cancer) : not classifiable as to its carcinogenicity to hum N ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l Species : Pimephales promelas Duration of exposure : 96 h NOEC = 1000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 14 jours EC50 > 10000 mg/l Species : Daphnia magna Duration of exposure : 48 h NOEC = 10 mg/l Species : Daphnia magna Duration of exposure : 21 jours NOEC >= 100 mg/l Species : Pseudokirchnerella subc	nans. 7)		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA Fish toxicity : Crustacean toxicity : Algae toxicity :	ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l Species : Pimephales promelas Duration of exposure : 96 h NOEC = 1000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 14 jours EC50 > 10000 mg/l Species : Daphnia magna Duration of exposure : 48 h NOEC = 10 mg/l Species : Daphnia magna Duration of exposure : 21 jours NOEC >= 100 mg/l Species : Pseudokirchnerella subo Duration of exposure : 72 h	nans. 7)		
S	May cause lung damage if swallowed Monograph(s) from the IARC (International Ag CAS 140-11-4 : IARC Group 3 : The agent is n ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREA Fish toxicity : Crustacean toxicity : Algae toxicity : 12.1.2. Mixtures	ATED HEAVY PARAFFINIC (CAS: 64742-54- LC50 > 100 mg/l Species : Pimephales promelas Duration of exposure : 96 h NOEC = 1000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 14 jours EC50 > 10000 mg/l Species : Daphnia magna Duration of exposure : 48 h NOEC = 10 mg/l Species : Daphnia magna Duration of exposure : 21 jours NOEC >= 100 mg/l Species : Pseudokirchnerella subo Duration of exposure : 72 h	nans. 7)		

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC (CAS: 64742-54-7) Biodegradability : Non-rapidly degradable.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

Not very mobile in soil.

The product is insoluble in water and will spread on the surface

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

Do not dispose of the product in the natural environment, effluents or surface waters.

German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) :

WGK 1 : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number

14.2. UN proper shipping name

- 14.2. On proper shipping
- 14.3. Transport hazard class(es)
- 14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/217 (ATP 14)

- Container information:

No data available.

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) : WGK 1 : Slightly hazardous for water.
 - Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) : NFPA 704, Labelling: Health=0 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



15.2. Chemical safety assessment

Product is not classified health and environmental hazard. Exposure scenarios are not required.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

To be translated (XML)

To be translated (XML)

Wording of the phrases mentioned in section 3 :

H304	May be fatal if swallowed and enters airways.		
Abbreviatior	Abbreviations :		
DNEL : De	DNEL : Derived No-Effect Level		
ADR : Euro	ADR : European agreement concerning the international carriage of dangerous goods by Road.		
IMDG : Inte	IMDG : International Maritime Dangerous Goods.		
IATA : Inte	rnational Air Transport Association.		
	smattened Civil Aviation Organization		

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.