



SUPER LONGLIFE RED CONCENTRATED ANTIFREEZE

APPLICATION

- A Mono Ethylene Glycol (MEG) based engine coolant / anti-freeze concentrate.
- For suitability guidance visit our Web Page.

PROPERTIES

- 5 Year Longlife Protection.
- Helps prevent winter freezing and summer boil over.
- NAP (Nitrite, Phosphate and Amine), Silicate and Borax free.
- Organic Acid (OAT) Technology.
- May be used in diesel and petrol engines.
- Suitable for a wide range of modern heavy duty diesel engines where a nitrite free coolant is required e.g. some Scania, DAF and Volvo models.
- Exceeds the requirements of: BS6580 – 1992.
Meets AFNOR NFR 15-601 (except Reserve Alkalinity).
Meets the requirements of Audi/Seat/Skoda/VW (TL774D), Ford (WSS-M97B44-D), MB (325.3), Porsche.

TYPICAL INSPECTION DATA

Appearance	Clear bright red liquid
Specific Gravity @ 20 °C	1.115
Boiling Point	Min 165 °C

PROTECTION LEVELS

Super Longlife Red (%)	Approx. Protection (°C)
12	-5
25	-11
33	-18
50	-34

DIRECTIONS FOR USE

- Dilute with water, as recommended by your vehicle handbook.
- Miscible with other fluids but for maximum protection systems should be drained, flushed and refilled.
- Minor spills should be soaked up with oil absorbent granules, sand or dirt. The spillage site should then be washed with soapy water and dried.
- Wash off any spillage on paintwork immediately.
- Avoid galvanised containers for storage or dispensing as they will corrode and contaminate the product.

SHELF LIFE

- 5 years from date of manufacture.
- Manufacture date can be identified from a five figure code printed on the bottle. The first three figures indicate the consecutive day of the year, the last two figures the year.