

X-FLOW – Product Range Overview



- 11** Products in the range
- 3** New products
- 18** New pack sizes
- 44** Total part numbers

Launch Promotion –
details will be communicated
once promotional T&Cs are
approved



NEW

X-FLOW TYPE P 5W-30



Fully synthetic

5W-30 low SAPS oil for modern petrol and diesel vehicles fitted with exhaust after-treatment units that require an ACEA C2 grade.

Comma recommends this product for applications requiring:

PSA B71 2290

Service Classification:

ACEA C2, API SM CF



X-FLOW TYPE P 5W-30: Pack details

Pack size:	1 Litre	5 Litre	25 Litre
Product code:	XFP1L	XFP5L	XFP25L
Product barcode	5011846001682	5011846000944	5011846000968
Case qty:	12	4	-
Case barcode:	5011846001699	5011846000951	-
Pallet qty (case/units):	52/624	30/120	4

NEW

X-FLOW TYPE Z 5W-30



Fully synthetic

5W-30 low SAPS oil for modern petrol and diesel vehicles fitted with exhaust after-treatment units that require an ACEA C3 grade.

Comma recommends this product for applications requiring:

MB 229.31/MB 229.51; BMW LL-04

Service Classification:

ACEA C3 API SL CF



X-FLOW TYPE Z 5W-30: Pack details

Pack size:	1 Litre	5 Litre	25 Litre	199 Litre
Product code:	XFZ1L	XFZ5L	XFZ25L	XFZ199L
Product barcode	5011846001668	5011846000876	5011846000890	5011846000906
Case qty:	12	4	-	-
Case barcode:	5011846001675	5011846000883	-	-
Pallet qty (case/units):	52/624	30/120	32	4

X-FLOW TYPE V 5W-30



Fully synthetic

5W-30 oil for VW/Audi group petrol and diesel vehicles operating under long life service regimes.

Low viscosity to give fast oil flow on start up.

Comma recommends this product for applications requiring:

VW 504 00, VW 507 00



X-FLOW TYPE V 5W-30: Pack details

Pack size:	1 Litre	4 Litre	5Litre	25 Litre	199 Litre
Product code:	XFV1L	XFV4L	XFV5L	XFV25L	XFV199L
Product barcode	5011846025046	5011846001002	5011846025053	5011846025060	5011846000869
Case qty:	12	4	4	-	-
Case barcode:	5011846122417	5011846001019	5011846122424	-	-
Pallet (case/unit)	52/624	30/120	30/120	32	4

X-FLOW TYPE LL 5W-30



Fully synthetic

5W-30 oil for GM/Vauxhall/Opel petrol and diesel vehicles operating under long life service regimes.

Low viscosity to give fast oil flow on start up.

Comma recommends this product for applications requiring: GM-LL-A-025, GM-LL-B-025; VW 502 00, VW 505 00; BMW LL-01, MB 229.3

Service Classification: ACEA A3/B4; API SL CF



X-FLOW TYPE LL 5W-30: Pack details

Pack size:	1 Litre	4 Litre	5 Litre	25 Litre	199 Litre
Product code:	XFLL1L	XFLL4L	XFLL5L	XFLL25L	XFLL199L
Product barcode	5011846024285	5011846000982	5011846024001	5011846024018	5011846024346
Case qty:	12	4	4	-	-
Case barcode:	5011846121649	5011846000999	5011846121540	-	-
Pallet (case/units):	52/624	30/120	30/120	32	4

X-FLOW TYPE F PLUS 5W-30



Fully synthetic

5W-30 oil for Ford petrol and diesel engines including Zetec and pre 2009 DuraTec and DuraTorq engines.

Comma recommends this product for applications requiring: FORD WSS-M2C913-A, WSS-M2C913-B

Service Classification: ACEA A1/B1; API SL CF

(Suitable for Zetec, DuraTec & DuraTorq engines pre 2009)



X-FLOW TYPE F PLUS 5W-30: Pack details

Pack size:	1 Litre	4 Litre	5 Litre	25 Litre	199 Litre
Product code:	XFFP1L	XFFP4L	XFFP5L	XFFP25L	XFFP199L
Product barcode	5011846024681	5011846001293	5011846024698	5011846024704	5011846000975
Case qty:	12	4	4	-	-
Case barcode:	5011846122233	5011846001309	5011846122240	-	-
Pallet (C/U):	52/624	30/120	30/120	32	4

X-FLOW TYPE F 5W-30



Semi synthetic

5W-30 oil suitable for petrol and diesel vehicles including those with fuel injected, multivalved and turbo charged engines.

Service Classification:

ACEA A1/B1; API SL CF

(Suitable for Zetec, DuraTec & DuraTorq engines pre 2009)



X-FLOW TYPE F 5W-30: Pack details

Pack size:	1 Litre	4 Litre	5 Litre	25 Litre	60 Litre	199 Litre
Pr. code:	XFF1L	XFF4L	XFF5L	XFF25L	XFF60L	XFF199L
Pr. barcode	5011846024315	5011846001194	5011846024070	5011846024087	5011846024483	5011846024094
Case qty:	12	4	4	-	-	-
C. barcode:	5011846121670	5011846001200	5011846121571	-	-	-
Pallet(C/U):	52/624	30/120		32	6	4

X-FLOW TYPE G 5W-40



Fully synthetic

5W-40 oil suitable for petrol and diesel vehicles including those with fuel injected, multivalved and turbo charged engines.

Comma recommends this product for applications requiring: **MB 229.1; VW 502 00, VW 505 00; RN0700, RN0710**

Service Classification:

ACEA A3/B4; API SL CF



X-FLOW TYPE G 5W-40: Pack details

Pack size:	1 Litre	4 Litre	5 Litre	25 Litre	60 Litre	199 Litre
P. code:	XFG1L	XFG4L	XFG5L	XFG25L	XFG60L	XFG199L
P. barcode	5011846024308	5011846001057	5011846024049	5011846024056	5011846024476	5011846024063
Case qty:	12	4	4	-	-	-
C. barcode:	5011846121663	5011846001064	5011846121564	-	-	-
Pallet (C/U):	52/624	30/120	30/120	32	6	4

X-FLOW TYPE PD 5W-40



Fully synthetic

5W-40 oil for vehicles fitted with the VW 'Pumpe Duse' PD or unit injector engine. Low viscosity to give fast oil flow on start up.

Comma recommends this product for applications requiring:

VW 505 01; FORD WSS-M2C917-A

Service Classification:

ACEA C3; API SL CF



X-FLOW TYPE PD 5W-40: Pack details

Pack size:	1 Litre	4 Litre	5 Litre	25 Litre	199 Litre
Product code:	XFPD1L	XFPD4L	XFPD5L	XFPD25L	XFPD199L
Product barcode	5011846024292	5011846001125	5011846024025	5011846024032	5011846024353
Case qty:	12	4	4	-	-
Case barcode:	5011846121656	5011846001132	5011846121557	-	-
Pallet (C/U):	52/624	30/120	30/120	32	4

NEW

X-FLOW TYPE XS 10W-40

**Semi synthetic****10W-40 oil suitable for petrol and diesel vehicles including those with fuel injected, multivalved and turbo charged engines.****Service Classification:****ACEA A3/B3; API SL CF**

X-FLOW TYPE XS 10W-40: Pack details

Pack size:	1 Litre	4 Litre	5 Litre	25 Litre	60 Litre	199 Litre
Product code:	XFXS1L	XFXS4L	XFXS	XFXS25L	XFXS60L	XFXS199L
Product barcode	5011846001491	5011846001514	5011846001538	5011846001552	5011846001651	5011846001569
Case qty:	12	4	4	-	-	-
Case barcode:	5011846001507	5011846001521	5011846001545	-	-	-
Pallet (C/U):	52/624	30/120	30/120	32	6	4

X-FLOW TYPE MF 15W-40



Mineral

15W-40 oil suitable for petrol and diesel vehicles including those with fuel injected, multivalved and turbo charged engines.

Comma recommends this product for applications requiring: MB 228.1, MB 229.1; VW 501 01, VW 505 00

Service Classification:

ACEA A3/B3; API SL CF CG-4



X-FLOW TYPE MF 15W-40: Pack details

Pack size:	1 Litre	4 Litre	5 Litre	25 Litre	60 Litre	199 Litre
Product code:	XFMF1L	XFMF4L	XFMF5L	XFMF25L	XFMF60L	XFMF199L
Product barcode	5011846024339	5011846001576	5011846024148	5011846024155	5011846024162	5011846024179
Case qty:	12	4	4	-	-	-
Case barcode:	5011846121694	5011846001583	5011846121595	-	-	-
Pallet (C/U):	52/624	30/120	30/120	32	6	4

NEW

X-FLOW TYPE SP 20W-50



Multigrade
Motor oil for use in 4-stroke petrol & diesel cars, motorcycles and lawnmowers.
Service Classification:
API SE CC

X-FLOW TYPE SP 20W-50: Pack details	
Pack size:	4 Litre
Product code:	XFSP4L
Product barcode	5011846001590
Case qty:	4
Case barcode:	5011846001606
Pallet qty (case/units):	30/120