Ferdinand Bilstein GmbH + Co. KG

Date printed 24.01.2023, Revision 24.01.2023



Version 10.0 Pag

Page 1 / 10

SEC	CTION 1: Identification of the subs	stance/mixture and of the company/undertaking		
1.1	1.1 Product identifier			
		grease for homokinetic joint Article number: 08414, 02597		
1.2	Relevant identified uses of the s	substance or mixture and uses advised against		
1.2.	1 Relevant uses			
		Lubricant		
1.2.	2 Uses advised against			
		For all uses not specified in SECTION 1.2.1		
1.3	Details of the supplier of the saf	fety data sheet		
	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com		
	Address enquiries to			
	Technical information	info@febi.com		
	Safety Data Sheet	info@febi.com		
1 1	.4 Emergency telephone number			
1.4	Emergency telephone number			
1.4	Advisory body	+49 (0)89-19240 (24h) (English)		
	Advisory body Company	+49 (0)89-19240 (24h) (English) +49 2333 911-0		
	Advisory body			
	Advisory body Company CTION 2: Hazards identification			
SEC	Advisory body Company CTION 2: Hazards identification	+49 2333 911-0		
SEC	Advisory body Company CTION 2: Hazards identification	+49 2333 911-0 or mixture [REGULATION (GB) CLP]		
SE0 2.1	Advisory body Company CTION 2: Hazards identification Classification of the substance Label elements	+49 2333 911-0 or mixture [REGULATION (GB) CLP]		
SE0 2.1	Advisory body Company CTION 2: Hazards identification Classification of the substance	+49 2333 911-0 or mixture [REGULATION (GB) CLP] No classification.		
SE0	Advisory body Company CTION 2: Hazards identification Classification of the substance Label elements Hazard pictograms Signal word	+49 2333 911-0 or mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP.		
SE0	Advisory body Company CTION 2: Hazards identification Classification of the substance Label elements Hazard pictograms Signal word Hazard statements	+49 2333 911-0 or mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none		
SE0 2.1	Advisory body Company CTION 2: Hazards identification Classification of the substance Label elements Hazard pictograms Signal word	+49 2333 911-0 or mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none		
SE0	Advisory body Company CTION 2: Hazards identification Classification of the substance Label elements Hazard pictograms Signal word Hazard statements	+49 2333 911-0 or mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none		
SE0 2.1 2.2	Advisory body Company CTION 2: Hazards identification Classification of the substance Label elements Hazard pictograms Signal word Hazard statements Precautionary statements	+49 2333 911-0 or mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none		
SE0 2.1 2.2	Advisory body Company CTION 2: Hazards identification Classification of the substance Label elements Hazard pictograms Signal word Hazard statements Precautionary statements Other hazards	+49 2333 911-0 or mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none None Has a degreasing effect on the skin. High Pressure Applications. Injections through the skin resulting from contact with the product		
SE0 2.1 2.2	Advisory body Company CTION 2: Hazards identification Classification of the substance Label elements Hazard pictograms Signal word Hazard statements Precautionary statements Other hazards Human health dangers	+49 2333 911-0 or mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none none Has a degreasing effect on the skin. High Pressure Applications. Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency.		

3.1 Substances

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 24.01.2023, Revision 24.01.2023



Version 10.0 Page 2 / 10

3.2	Mixtures The product is a mixture.		
	Comment on component parts	No dangerous components. Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.	
SEC	TION 4: First aid measures		
4.1	Description of first aid measures		
	General information	Change soaked clothing.	
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.	
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion	Seek medical advice immediately. Do not induce vomiting.	
4.2	Most important symptoms and ef	fects, both acute and delayed	
		No information available.	
4.3	Indication of any immediate medi	ical attention and special treatment needed	
		Treat symptomatically. Forward this sheet to your doctor. Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes.	
SEC	SECTION 5: Fire-fighting measures		
5.1	Extinguishing media		
•	Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide	
	Extinguishing media that must not be used	Full water jet	
5.2	2 Special hazards arising from the substance or mixture		
		Risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Sulphur oxides (SOx).	
5.3	Advice for firefighters		
		Use self-contained breathing apparatus.	
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.	
SEC	SECTION 6: Accidental release measures		
6.1	1 Personal precautions, protective equipment and emergency procedures		

High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.

Ferdinand Bilstein GmbH + Co. KG

Date printed 24.01.2023, Revision 24.01.2023



Version 10.0

Page 3 / 10

6.2	Environmental precautions	
		Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for contain	ment and cleaning up
		Take up mechanically. Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		No special measures necessary if used correctly.
		Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.
7.2	Conditions for safe storage, inclu	ding any incompatibilities
		Keep only in original container. Prevent penetration into the ground.
		Do not store together with food and animal food/diet. Do not store together with oxidizing agents.
		Keep container tightly closed. Protect from heat/overheating.
7.3	Specific end use(s)	
		See product use, SECTION 1.2
SEC	TION 8: Exposure controls / perso	nal protection
~ 4		

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
molybdenum disulphide
CAS: 1317-33-5, EINECS/ELINCS: 215-263-9
Long-term exposure: 10 mg/m ³ , as Mo
Short-term exposure (15-minute): 20 mg/m ³

Ferdinand Bilstein GmbH + Co. KG

Date printed 24.01.2023, Revision 24.01.2023



Version 10.0 Page

Page 4 / 10

8.2 Exposure controls		
	Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
	Eye protection	If there is a risk of splashing: safety glasses
	Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0.35 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0.35 mm; Butyl rubber, >480 min (EN 374-1/-2/-3).
	Skin protection	light protective clothing
	Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
	Respiratory protection	Not required under normal conditions.
	Thermal hazards	No information available.
	Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	• • • • • • • • • • • • • • • • • • •
Physical state	Semi-solid
Form	pasty
Color	black
Odor	mild
Odour threshold	not relevant
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	217
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	< 0.01 (20°C)
Density [g/cm ³]	< 1 (20 °C / 68,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	No information available.
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature	not applicable
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

Ferdinand Bilstein GmbH + Co. KG

Date printed 24.01.2023, Revision 24.01.2023



Version 10.0 Page 5 / 10

9.2 Other information

Drop point: > 180°C Penetration number: 280 - 295 (25°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

No special measures necessary.

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Ferdinand Bilstein GmbH + Co. KG

Date printed 24.01.2023, Revision 24.01.2023



Version 10.0

Page 6 / 10

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

|--|

oral, Based on the available information, the classification criteria are not fulfilled.

Acute dermal toxicity

Product
dermal, Based on the available information, the classification criteria are not fulfilled.

Acute inhalational toxicity

Product	Product	
inhalative, Base	d on the available information, the classification criteria are not fulfilled.	
Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.	
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.	
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.	
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.	
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.	
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.	
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.	
- Fertility	No information available.	
- Development	No information available.	
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.	
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.	
General remarks		
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.	
Information on other hazards		
Endocrine disrupting properties	No information available.	
Other information	none	

SECTION 12: Ecological information

12.1 Toxicity

11.2

Product
Based on the available information, the classification criteria are not fulfilled.

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	Can be separated out mechanically in purification plants.
Biological degradability	not determined

Ferdinand Bilstein GmbH + Co. KG

Date printed 24.01.2023, Revision 24.01.2023



Version 10.0

Page 7 / 10

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Ecotoxicological data are not available. Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	Coordinate disposal with the authorities if necessary. Disposal in an incineration plant in accordance with the regulations of the local authorities.
Waste no. (recommended)	120112* spent waxes and fats
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances 150102 150104

SECTION 14: Transport information

14.1 UN number or ID number Transport by land according to not applicable ADR/RID Inland navigation (ADN) not applicable Marine transport in accordance with not applicable IMDG

Air transport in accordance with IATA not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 24.01.2023, Revision 24.01.2023



Version 10.0 Page 8 / 10

14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6 t	0 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 24.01.2023, Revision 24.01.2023



Version 10.0

Page 9 / 10

SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **EEC-REGULATIONS** 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014 TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023) NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH: GB CLP. - Observe employment restrictions no for people - VOC (2010/75/CE) not relevant 15.2 Chemical safety assessment not applicable **SECTION 16: Other information** 16.1 Abbreviations and acronyms: ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading ELINCS = European List of Notified Chemical Substances EmS = Emergency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level LL50 = Median lethal loading

16.2 Other information

Classification procedure

Modified position

LQ = Limited Quantities

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PNEC = Predicted No-Effect Concentration

vPvB = very Persistent and very Bioaccumulative

STP = Sewage Treatment Plant

VOC = Volatile Organic Compounds

PBT = Persistent, Bioaccumulative and Toxic substance

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

Ferdinand Bilstein GmbH + Co. KG

Date printed 24.01.2023, Revision 24.01.2023

bilstein

Version 10.0 Page 10 / 10