Safety Data Sheet (UK REACH) (GB)

High-performance oil for Haldex coupling Article number 101170

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.03.2023, Revision 09.03.2023

Version 6.0. Supersedes version: 5.0

Page 1 / 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

High-performance oil for Haldex coupling Article number: 101170

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

Special labelling EUH210 Safety data sheet available on request.

2.3 Other hazards

Environmental hazards Does not contain any PBT or vPvB substances.

Other hazards No particular hazards known.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

Safety Data Sheet (UK REACH) (GB)

High-performance oil for Haldex coupling Article number 101170



Ferdinand Bilstein GmbH + Co. KG

Date printed 09.03.2023, Revision 09.03.2023

Version 6.0. Supersedes version: 5.0

Page 2 / 11

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
50 - < 100	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 2.5	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts
	CAS: 85940-28-9, EINECS/ELINCS: 288-917-4, Reg-No.: 01-2119521201-61
	GHS/CLP: Eye Dam. 1: H318 - Skin Irrit. 2: H315 - Aquatic Chronic 2: H411
	SCL [%]: >15 - <20: Eye Irrit. 2: H319, >= 15: Skin Irrit. 2: H315, >= 20: Eye Dam. 1: H318
0.1 - < 1	Calciumsulfonate, petroleum
	CAS: 61789-86-4, EINECS/ELINCS: 263-093-9
	GHS/CLP: Skin Sens. 1B: H317
	SCL [%]: >= 10: Skin Sens. 1B: H317

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Do not induce vomiting.

Consult a doctor immediately.

Rinse out mouth and give plenty of water to drink.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Nitrogen oxides (NOx).

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

Cool containers at risk with water spray jet.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.03.2023, Revision 09.03.2023

Version 6.0. Supersedes version: 5.0

Page 3 / 11

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.

Use only in well-ventilated areas. Use solvent-resistant equipment.

The product is combustible.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

Cloths contaminated with product should not be kept in trouser pockets.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container in a well-ventilated place.

Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2



Ferdinand Bilstein GmbH + Co. KG

Date printed 09.03.2023, Revision 09.03.2023

Version 6.0. Supersedes version: 5.0

Page 4 / 11

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not relevant

DNEL

Substance	
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9	
Industrial, dermal, Long-term - systemic effects, 9.6 mg/kg bw/d	
Industrial, inhalative, Long-term - systemic effects, 6.6 mg/m³	
general population, oral, Long-term - systemic effects, 0.19 mg/kg bw/d	
general population, dermal, Long-term - systemic effects, 4.8 mg/kg bw/d	
general population, inhalative, Long-term - systemic effects, 1.67 mg/m³	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1	
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day	
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³	
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³	
general population, inhalative, Long-term - systemic effects, 740 μg/kg bw/day	
general population, inhalative, Long-term - local effects, 1.19 mg/m³	
Calciumsulfonate, petroleum, CAS: 61789-86-4	
Industrial, dermal, Long-term - systemic effects, 3.33 mg/kg bw/d	
Industrial, inhalative, Long-term - systemic effects, 11.75 mg/m³	
general population, inhalative, Long-term - systemic effects, 2.9 mg/m³	
general population, oral, Long-term - systemic effects, 0.8333 mg/kg bw/d	
general population, dermal, Long-term - systemic effects, 1.667 mg/kg bw/d	

PNEC

Substance		
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9		
soil, 15.7 mg/kg dw		
sediment (seawater), 1.93 mg/kg dw		
sediment (freshwater), 19.3 mg/kg dw		
sewage treatment plants (STP), 100 mg/l (AF=100)		
seawater, 0.0002 mg/l (AF=10000)		
freshwater, 0.002 mg/l (AF=1000)		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1		
oral (food), 9.33 mg/kg food		
Calciumsulfonate, petroleum, CAS: 61789-86-4		
oral (food), 16 667 mg/kg food		
soil, 271 000 000 mg/kg dw		
sediment (seawater), 226 000 000 mg/kg dw		
sediment (freshwater), 226 000 000 mg/kg dw		
sewage treatment plants (STP), 1000 mg/l (AF=10)		
seawater, 1 mg/l (AF=10000)		
freshwater, 1 mg/l (AF=1000)		

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.03.2023, Revision 09.03.2023

Version 6.0. Supersedes version: 5.0

Page 5 / 11

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

General exposure limit for oil mist should be noted.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0.4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).

Skin protection Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.

Respiratory protection Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Form liquid

Color light brown

Odor characteristic

Odour threshold No information available.

pH-value not applicable
pH-value [1%] not applicable
Boiling point [°C] not applicable
Flash point [°C] 208 °C/ 406°F
Flammability (solid, gas) [°C] Not explosive.
Lower explosion limit not self-igniting
Upper explosion limit not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/cm³] 0.85 (DIN 51757) (15 °C / 59,0 °F)

Relative density No information available.

Bulk density [kg/m³] not applicable

Solubility in water immiscible

Solubility other solvents No information available.

Partition coefficient [n-octanol/water] No information available.

Kinematic viscosity 29.94 mm²/s 40°C [104°F] (DIN 51562)

Relative vapour density

No information available.

Evaporation speed

No information available.

Melting point [°C]

No information available.

Auto-ignition temperature [°C] not applicable

Decomposition temperature [°C] No information available.

Particle characteristics No information available.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.03.2023, Revision 09.03.2023

Version 6.0. Supersedes version: 5.0

Page 6 / 11

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Reactions with strong alkalies. Reactions with strong acids.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Strong oxidizing agent. See SECTION 10.3.

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Ferdinand Bilstein GmbH + Co. KG

Date printed 09.03.2023, Revision 09.03.2023

Version 6.0. Supersedes version: 5.0

Page 7 / 11

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Substance

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

LD50, oral, Rat, 3080 mg/kg bw

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, oral, Rat, 5000 mg/kg bw

Calciumsulfonate, petroleum, CAS: 61789-86-4

LD50, oral, > 5000 mg/kg bw

Acute dermal toxicity

Substance

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

LD50, dermal, Rabbit, > 20 000 mg/kg bw

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Calciumsulfonate, petroleum, CAS: 61789-86-4

dermal, > 10% Skin. Sen. 1B - H317

Acute inhalational toxicity

Substance

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

LC50, inhalation (vapour), Rat, > 2.3 mg/L/4h

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation Toxicological data of complete product are not available.

Non-irritant.

No classification due to substance-specific concentration limits.

Skin corrosion/irritationBased on the available information, the classification criteria are not fulfilled.

Respiratory or skin sensitisation Toxicological data of complete product are not available.

No classification.

No classification due to substance-specific concentration limits.

Specific target organ toxicity —

single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity —

repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m³ air

LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.03.2023, Revision 09.03.2023

Version 6.0. Supersedes version: 5.0

Page 8 / 11

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

Endocrine disrupting propertiesContains no ingredients with endocrine-disrupting properties.

Other information non

SECTION 12: Ecological information

12.1 Toxicity

Substance		
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9		
LL50, (96h), Oncorhynchus mykiss, 4.5 mg/l		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1		
NOELR, (14d), fish, 1 g/L		
LL50, (4d), Invertebrates, 10 g/L		
LL50, (4d), fish, 100 mg/L		
Calciumsulfonate, petroleum, CAS: 61789-86-4		
LL50. (96h), fish, > 10 000 ma/l		

12.2 Persistence and degradability

Behaviour in environment not determined

compartments

Behaviour in sewage plant not determined
Biological degradability not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.03.2023, Revision 09.03.2023

Version 6.0. Supersedes version: 5.0

Page 9 / 11

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

130208*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

Safety Data Sheet (UK REACH) (GB)

High-performance oil for Haldex coupling Article number 101170



Ferdinand Bilstein GmbH + Co. KG

Date printed 09.03.2023, Revision 09.03.2023

Version 6.0. Supersedes version: 5.0

Page 10 / 11

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe

employment restrictions for young people.

- VOC (2010/75/CE) not relevant

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H304 May be fatal if swallowed and enters airways.

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.03.2023, Revision 09.03.2023

Version 6.0. Supersedes version: 5.0

Page 11 / 11

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.