Date printed 31.01.2023, Revision 30.01.2023



Version 11.0. Supersedes version: 10.0 Page 1 / 14

SEC	SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1	.1 Product identifier			
		Gear oil		
		Article number: 39070, 39071, 109672		
1.2	Relevant identified uses of the s	ubstance or mixture and uses advised against		
1.2.1	Relevant uses			
		Gearbox oil		
1.2.2	2 Uses advised against			
	None known.			
1.3	Details of the supplier of the safe	ety data sheet		
-	Company	Ferdinand Bilstein GmbH + Co. KG		
		Wilhelmstr. 47 58256 Ennepetal / GERMANY		
		Phone +49 2333 911-0		
		Fax +49 2333 911-444 Homepage www.febi.com		
		E-mail info@febi.com		
	Address enquiries to			
	Technical information	info@febi.com		
	Safety Data Sheet	info@febi.com		
1.4	Emergency telephone number			
	Advisory body	+49 (0)89-19240 (24h) (English)		
SEC	TION 2: Hazards identification			
2.1	.1 Classification of the substance or mixture [REGULATION (GB) CLP]			
		No classification.		
2.2	Label elements			
2.2		The product is required to be labelled in accordance with regulation CLP.		
	Hazard pictograms	none		
	Signal word	none		
	Hazard statements	none		
	Precautionary statements	none		
	Special labelling	EUH210 Safety data sheet available on request.		
		Contains: 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate. EUH208 May produce an allergic reaction.		
2.3	Other hazards			
	Human health dangers	If swallowed or in the event of vomiting, risk of product entering the lungs. Frequent persistent contact with the skin can cause skin irritation.		
	Environmental hazards	Does not contain any PBT or vPvB substances.		
	Other hazards	Further hazards were not determined with the current level of knowledge.		
SEC	SECTION 3: Composition / Information on ingredients			
3.1	Substances			

# not applicable

Date printed 31.01.2023, Revision 30.01.2023



Version 11.0. Supersedes version: 10.0

Page 2 / 14

### 3.2 Mixtures

### The product is a mixture.

Range [%]	Substance
20 - < 50	Distillates (petroleum), hydrotreated light paraffinic
	CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX
	GHS/CLP: Asp. Tox. 1: H304
20 - < 50	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 5	Isooctadecanoic acid, reaction products with tetraethylenepentamine
	CAS: -, EINECS/ELINCS: 701-204-9, Reg-No.: 01-2119960832-33-XXXX
	GHS/CLP: Skin Irrit. 2: H315 - Eye Irrit. 2: H319
0.1 - < 0.25	4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate
	CAS: 93882-40-7, EINECS/ELINCS: 299-434-3, Reg-No.: 01-2120735527-50
	GHS/CLP: Skin Sens. 1: H317 - Eye Irrit. 2: H319 - Aquatic Chronic 2: H411

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.

### **SECTION 4: First aid measures**

4.1	1 Description of first aid measures	
	General information	Take off contaminated clothing and wash before reuse.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Seek medical advice immediately. Do not induce vomiting.
4.2	4.2 Most important symptoms and effects, both acute and delayed	
		Irritant effects
4.3	3 Indication of any immediate medical attention and special treatment needed	
		Treat symptomatically. If swallowed or in the event of vomiting, risk of product entering the lungs. Forward this sheet to your doctor.
SEC	TION 5: Fire-fighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide.
	Extinguishing media that must not be used	Full water jet.
5.2	2 Special hazards arising from the substance or mixture	
		Risk of formation of toxic pyrolysis products.
5.3	Advice for firefighters	
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

Date printed 31.01.2023, Revision 30.01.2023



Version 11.0. Supersedes version: 10.0

Page 3 / 14

SEC	TION 6: Accidental release measu	ires	
6.1	Personal precautions, protective equipment and emergency procedures		
		Some risk of slipping due to spillage of product. Forms slippery surfaces with water.	
6.2	Environmental precautions		
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.	
6.3	3 Methods and material for containment and cleaning up		
		Take up with absorbent material (e.g. oil binder). Dispose of absorbed material in accordance within the regulations.	
6.4	Reference to other sections		
		See SECTION 8+13	
SEC	TION 7: Handling and storage		
7.1	Precautions for safe handling		
		Avoid formation of aerosols. Use only in well-ventilated areas.	
		The product is combustible.	
		Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.	
7.2	Conditions for safe storage, incl	uding any incompatibilities	
		Keep only in original container. Prevent penetration into the ground.	
		Do not store together with food and animal food/diet.	
		Keep container in a well-ventilated place. Keep container tightly closed.	
7.3	Specific end use(s)		

See product use, SECTION 1.2

### Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 30.01.2023



Version 11.0. Supersedes version: 10.0

Page 4 / 14

### SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

# Ingredients with occupational exposure limits to be monitored (GB)

Substance		
Distillates (petroleum), hydrotreated light paraffinic		
CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX		
Long-term exposure: 5 mg/m <sup>3</sup> , ACGIH TLV (OIL MIST)		
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)		
CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX		
Long-term exposure: 5 mg/m <sup>3</sup> , oil mist		
Short-term exposure (15-minute): 10 mg/m <sup>3</sup>		

#### DNEL

Substance		
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7		
Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>		
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day		
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>		
general population, oral, Long-term - systemic effects, 740 µg/kg bw/day		
general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup>		
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8		
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>		
Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>		
Industrial, dermal, Long-term - systemic effects, 0.97 mg/kg bw/day		
general population, oral, Long-term - systemic effects, 0.74 mg/kg bw/day		
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate, CAS: 93882-40-7		
Industrial, dermal, Long-term - systemic effects, 2 mg/kg bw/d (AF= 300)		
Industrial, inhalative, Long-term - systemic effects, 3.526 mg/m <sup>3</sup> (AF= 75)		
general population, oral, Long-term - systemic effects, 0.5 mg/kg bw/d (AF= 600)		
Isooctadecanoic acid, reaction products with tetraethylenepentamine, CAS: -		
worker, inhalative, Long-term - systemic effects, 11.75 mg/m <sup>3</sup>		
worker, dermal, Long-term - systemic effects, 3.33 mg/kg bw/day		
general population, oral, Long-term - systemic effects, 1.67 mg/kg bw/day		
general population, inhalative, Long-term - systemic effects, 2.9 mg/m <sup>3</sup>		
general population, dermal, Long-term - systemic effects, 1.67 mg/kg bw/day		

### PNEC

Substance		
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7		
oral (food), 9.33 mg/kg		
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8		
oral (food), 9.33 mg/kg food		
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate, CAS: 93882-40-7		
oral (food), 20 mg/kg food (AF=300)		
freshwater, 0.009 mg/L (AF= 1000)		
seawater, 0.001 mg/L (AF= 10 000)		

# Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 30.01.2023



Version 11.0. Supersedes version: 10.0

Page 5 / 14

sewage treatment plants (STP), 100 mg/L (AF= 10)
sediment (freshwater), 542 229.75 mg/kg dw
soil, 259 870.48 mg/kg dw
sediment (seawater), 54 222.98 mg/kg dw
Isooctadecanoic acid, reaction products with tetraethylenepentamine, CAS: -
oral (food), 33.3 mg/kg food
freshwater, 460 µg/L
seawater, 46 µg/L
sediment (freshwater), 38100 mg/kg sediment dw
sewage treatment plants (STP), 1 g/l
sediment (seawater), 3810 mg/kg sediment dw
soil, 10 mg/kg soil dw

### 8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0.4mm: Nitrile rubber, >120 min (EN 374-1/-2/-3). > 0.4mm: butyl rubber, > 120 min (EN 374)
Skin protection	light protective clothing
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

### Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 30.01.2023



Version 11.0. Supersedes version: 10.0

Page 6 / 14

### SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

	· · · · · · · · · · · · · · · · · · ·
Physical state	liquid
Form	liquid
Color	light yellow
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	210 (EN ISO 2592)(COC)
Flammability (solid, gas) [°C]	Not explosive.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0.84 (DIN 51757) (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	33.2 mm²/s 40°C (DIN 51562)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature	not applicable
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

#### 9.2 Other information

none

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

The product is stable under standard conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known.

### 10.4 Conditions to avoid

No special measures necessary.

Date printed 31.01.2023, Revision 30.01.2023



Version 11.0. Supersedes version: 10.0 Page 7 / 14

### 10.5 Incompatible materials

Oxidizing agent Strong basic compounds Strong acids.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

Product

### Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 30.01.2023



Version 11.0. Supersedes version: 10.0

Page 8 / 14

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute oral toxicity

ATE-mix, oral, > 5000 mg/kg bw

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, oral, Rat, 5000 mg/kg bw
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
LD50, oral, Rat, 5000 mg/kg bw
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate, CAS: 93882-40-7
LD50, oral, Rat, > 10 000 mg/kg bw
Isooctadecanoic acid, reaction products with tetraethylenepentamine, CAS: -
LD50, oral, Rat, 5000 mg/kg bw

#### Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Isooctadecanoic acid, reaction products with tetraethylenepentamine, CAS: -

LD50, dermal, Rabbit, 2000 mg/kg bw

### Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

#### Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8 Eye, non-irritating

#### Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
dermal, non-irritating	

Date printed 31.01.2023, Revision 30.01.2023



Version 11.0. Supersedes version: 10.0

Page 9 / 14

Respiratory or ski		May produce an allergic reaction. Calculation method
	Substance	
	Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
	dermal, non-sensitizing	
Specific target org single exposure	jan toxicity —	Based on the available information, the classification criteria are not fulfilled.
Specific target or repeated exposure		Based on the available information, the classification criteria are not fulfilled.
	Substance	
	Destillates (petrol	eum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
	NOAEL, dermal,	Rabbit, 1000 mg/kg bw/day
	NOAEL, dermal,	Rat, 30 - 2000 mg/kg bw/day
	NOAEC, inhalativ	e, Rat, 980 mg/m³ air
	LOAEL, oral, Rat	125 mg/kg bw/day
		eum), hydrotreated light paraffinic, CAS: 64742-55-8
		e, Rat, 980 mg/m <sup>3</sup> (subacute), no adverse effect observed
		nouse, 100 mg/kg bw/day (chronic), The effects observed are not sufficient for classification.
		125 mg/kg bw/day, The effects observed are not sufficient for classification.
		acid, reaction products with tetraethylenepentamine, CAS: -
		, 1000 mg/kg bw/day
Mutagenicity	Substance Distillates (petrole	Based on the available information, the classification criteria are not fulfilled.
	in vitro, negativ	
Reproduction toxi - Fertility	Substance	Based on the available information, the classification criteria are not fulfilled.
		eum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
	ŭ	, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed
		eum), hydrotreated light paraffinic, CAS: 64742-55-8
	Distillarios (periole	$\frac{1}{2}$ $\frac{1}$
	NOAEL oral Bat	1000 malka build (Effect on fortility) no advarge offect observed. Effect on fortility
	NOAEL, oral, Rat	, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed, Effect on fertility,
- Development	NOAEL, oral, Rat	, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed, Effect on fertility,
- Development	NOAEL, oral, Rat	, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed, Effect on fertility,
- Development	Substance	, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed, Effect on fertility, eum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
- Development	Substance Destillates (petrol	
- Development	Substance Destillates (petrol NOAEL, oral, Rat	eum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
- Development	Substance Destillates (petrol NOAEL, oral, Rat Distillates (petrole	eum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 , 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed
	Substance Destillates (petrol NOAEL, oral, Rat Distillates (petrole	eum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 , 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed eum), hydrotreated light paraffinic, CAS: 64742-55-8
- Development Carcinogenicity Aspiration hazard	Substance Destillates (petrol NOAEL, oral, Rat Distillates (petrole NOAEL, oral, Rat	eum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 , 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed eum), hydrotreated light paraffinic, CAS: 64742-55-8 , 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed, Effect on fertility, Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Substance Destillates (petrol NOAEL, oral, Rat Distillates (petrole NOAEL, oral, Rat	eum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 , 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed eum), hydrotreated light paraffinic, CAS: 64742-55-8 , 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed, Effect on fertility, Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.



Date printed 31.01.2023, Revision 30.01.2023



Version 11.0. Supersedes version: 10.0 Page 10 / 14

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

# 11.2 Information on other hazards Endocrine disrupting properties Other information

Contains no ingredients with endocrine-disrupting properties.

### **SECTION 12: Ecological information**

Product

#### 12.1 Toxicity

Based on the available information, the classification criteria are not fulfilled.

none

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EL50, (48h), Invertebrates, 10 g/L
NOELR, (14d), fish, 1 mg/L
L50, (96h), Invertebrates, 10 g/L
L50, (96h), fish, 100 mg/L
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
NOELR, (14d), fish, 1 g/L
L50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate, CAS: 93882-40-7
_C50, (96h), fish, > 100 mg/l (OECD 203)
EL50, (72h), Algae, > 100 mg/l (OECD 201)
EL50, (48h), Daphnia magna, 9.5 mg/l (OECD 202)
sooctadecanoic acid, reaction products with tetraethylenepentamine, CAS: -
_C50, (96h), fish, 1 g/L
EC50, (96h), Algae, 44 - 94 mg/L
EC50, (48h), Invertebrates, 1 g/L
NOEC, (21d), Invertebrates, 32 mg/L

### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

Date printed 31.01.2023, Revision 30.01.2023



Version 11.0. Supersedes version: 10.0 Page 11 / 14

#### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

#### 12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

	Disposal in an incineration plant in accordance with the regulations of the local authorities. In according to RoHS!	
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils	
Contaminated packaging		
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.	
Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances 150102 150104	

### **SECTION 14: Transport information**

14.1	UN number or ID number Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable

Air transport in accordance with IATA not applicable

#### 14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with	NOT CLASSIFIED AS "DANGEROUS GOODS"

IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Date printed 31.01.2023, Revision 30.01.2023



Version 11.0. Supersedes version: 10.0 Page 12 / 14

14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6 t	io 8.
14.7	Maritime transport in bulk accordi	ng to IMO instruments

### not applicable

# **SECTION 15: Regulatory information**

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EEC-REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014	
	TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)	
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.	
	- Observe employment restrictions for people	no	
	- VOC (2010/75/CE)	0 %	

# Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 30.01.2023



Version 11.0. Supersedes version: 10.0 Page 13 / 14

15.2	5.2 Chemical safety assessment	
		not applicable
SEC	TION 16: Other information	
16.1	Hazard statements (SECTION 3)	
		H315 Causes skin irritation.
		H411 Toxic to aquatic life with long lasting effects. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H304 May be fatal if swallowed and enters airways.
16.2	Abbreviations and acronyms:	
		ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = accute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration EC6 = European Chemicals Bureau EEC = European Iconomic Community EINECS = European Iconomic Community EINECS = European Iconomic Community EINECS = European List of Notified Chemical Substances EL50 = Median effective loading ELINCS = European List of Notified Chemical Substances EMS = Energency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Ari Transport Association IBC-Code = International Ari Transport Association IBC-Code = International Maritime Code for bargerous Goods IUCLID = International Maritime Code for Dangerous Goods IUCLID = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median Iethal dose LC0 = Lethal concentration, 50% LD51 = Invitro irritation score LC52 = Lethal concentration, 50% LD52 = Median Iethal loading LQ = Limited Quantities MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NECC = No Observed Adverse Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Eff
40.0		vPvB = very Persistent and very Bioaccumulative
16.3	Other information Classification procedure	
	Modified position	SECTION 3 been added: Isooctadecanoic acid, reaction products with tetraethylenepentamine
		SECTION 3 been added: Distillates (netroleum) bydrotreated light paraffinic

SECTION 3 been added: Distillates (petroleum), hydrotreated light paraffinic

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 31.01.2023, Revision 30.01.2023



Version 11.0. Supersedes version: 10.0 Page 14 / 14