58256 Ennepetal

Date printed 15.02.2023, Revision 15.02.2023



Version 12.0. Supersedes version: 11.0

Page 1 / 13

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

CVT - Gear oil

Article number: ADG05529

#### Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Gearbox oil

#### 1.2.2 Uses advised against

None known.

### Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-144 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

**Technical information** info@febi.com Safety Data Sheet info@febi.com

#### 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

## **SECTION 2: Hazards identification**

### Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

#### 2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

**Hazard pictograms** none Signal word none **Hazard statements** none **Precautionary statements** none

Special labelling EUH210 Safety data sheet available on request.

Contains: olefin derivatives. EUH208 May produce an allergic reaction.

#### Other hazards 2.3

**Human health dangers** Frequent persistent contact with the skin can cause skin irritation.

**Environmental hazards** Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards Further hazards were not determined with the current level of knowledge.

#### **SECTION 3: Composition / Information on ingredients**

#### 3.1 **Substances**

not applicable

Version 12.0. Supersedes version: 11.0 Page 2 / 13



#### 3.2 Mixtures

#### The product is a mixture.

Range [%]	Substance
50 - 100	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 10	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 10	Distillates (petroleum), hydrotreated light paraffinic
	CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX
	GHS/CLP: Asp. Tox. 1: H304
0.1 - < 1	olefin derivatives
	EINECS/ELINCS: 939-580-3, Reg-No.: 01-2119976364-28
	GHS/CLP: Skin Sens. 1: H317

Comment on component parts Contains less than 3% w/w DMSO-extract (only for mineral oils)

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements and R-phrases: see SECTION 16.

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Seek medical advice immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

## 4.2 Most important symptoms and effects, both acute and delayed

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.

Treat symptomatically.

Forward this sheet to your doctor.

### **SECTION 5: Fire-fighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not Full v

be used

Full water jet

### 5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Nitrogen oxides (NOx).

Date printed 15.02.2023, Revision 15.02.2023



Version 12.0. Supersedes version: 11.0 Page 3 / 13

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

No special measures necessary if used correctly.

The product is combustible.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

Cloths contaminated with product should not be kept in trouser pockets.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed.

#### 7.3 Specific end use(s)

See product use, SECTION 1.2

Date printed 15.02.2023, Revision 15.02.2023



Version 12.0. Supersedes version: 11.0 Page 4 / 13

### SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance

Distillates (petroleum), hydrotreated light paraffinic

CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX

Long-term exposure: 5 mg/m³, ACGIH TLV (OIL MIST)

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)

CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX

Long-term exposure: 5 mg/m³, oil mist

Short-term exposure (15-minute): 10 mg/m<sup>3</sup>

### DNEL

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m³
general population, oral, Long-term - systemic effects, 740 μg/kg bw/day
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³
Industrial, dermal, Long-term - systemic effects, 0.97 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³
general population, oral, Long-term - systemic effects, 0.74 mg/kg bw/day
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day
general population, inhalative, Long-term - systemic effects, 740 μg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m³
olefin derivatives
Industrial, inhalative, Long-term - systemic effects, 5.88 mg/m³ (AF=75)
Industrial, dermal, Long-term - systemic effects, 16.7 mg/kg bw/d (AF=300)
general population, oral, Long-term - systemic effects, 0.83 mg/kg bw/d (AF=600)
general population, dermal, Long-term - systemic effects, 8.3 mg/kg bw/d (AF=600)
general population, inhalative, Long-term - systemic effects, 1.45 mg/m³ (AF=150)

#### **PNEC**

Substance	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
oral (food), 9.33 mg/kg	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
oral (food), 9.33 mg/kg food	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1	
oral (food), 9.33 mg/kg food	

Date printed 15.02.2023, Revision 15.02.2023



Version 12.0. Supersedes version: 11.0 Page 5 / 13

olefin derivatives	
oral (food), 33.3 mg/kg food (AF=300)	
soil, 1706.3 mg/kg dw	
sediment (seawater), 855.6 mg/kg dw	
sediment (freshwater), 8556 mg/kg dw	
sewage treatment plants (STP), 100 mg/l (AF=100)	
seawater, 0.02 mg/l (AF=500)	
freshwater, 0.2 mg/l (AF=50)	

#### 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

**Eye protection** If there is a risk of splashing:

safety glasses (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0.4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0.4 mm; Neoprene, >480 min (EN 374-1/-2/-3).

**Skin protection** light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

**Respiratory protection** Not required under normal conditions.

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

Date printed 15.02.2023, Revision 15.02.2023

BLUE® PRINT

Version 12.0. Supersedes version: 11.0

#### Page 6 / 13

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical stateliquidFormliquidColoramber

Coloramber colourOdorcharacteristicOdour thresholdnot relevantpH-valuenot applicablepH-value [1%]not applicable

**Boiling point [°C]**No information available.

Flash point [°C] 210

Flammability (solid, gas) [°C] No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

**Density [g/cm³]** 0.84 (DIN 51757) (15 °C / 59,0 °F)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water immiscible

Solubility other solvents No information available. Partition coefficient [n-octanol/water] No information available. Kinematic viscosity 34 mm<sup>2</sup>/s (DIN 51562)(40°C) Relative vapour density No information available. No information available. **Evaporation speed** Melting point [°C] No information available. Auto-ignition temperature [°C] No information available. Decomposition temperature [°C] No information available. Particle characteristics No information available.

### 9.2 Other information

none

#### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

#### 10.4 Conditions to avoid

Strong heating.

Date printed 15.02.2023, Revision 15.02.2023



Version 12.0. Supersedes version: 11.0 Page 7 / 13

### 10.5 Incompatible materials

Oxidizing agent Strong basic compounds Strong acids.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

Date printed 15.02.2023, Revision 15.02.2023



Version 12.0. Supersedes version: 11.0 Page 8 / 13

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, oral, Rat, 5000 mg/kg bw

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, oral, Rat, 5000 mg/kg bw

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, oral, Rat, 5000 mg/kg bw

olefin derivatives

LD50, oral, Rat, > 2000 mg/kg bw

#### Acute dermal toxicity

Product

ATE-mix, dermal, 63 257 mg/kg bw

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

#### Acute inhalational toxicity

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

Eye, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

dermal, non-irritating

Respiratory or skin sensitisation

Toxicological data of complete product are not available.

May produce an allergic reaction.

Calculation method

Substance

BLUE® PRINT

Date printed 15.02.2023, Revision 15.02.2023

Version 12.0. Supersedes version: 11.0 Page 9 / 13

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

dermal, non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

NOAEL, dermal, Rabbit, 1000 mg/kg bw/day

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m³ air

LOAEL, oral, Rat, 125 mg/kg bw/day

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

NOAEC, inhalative, Rat, 980 mg/m³ (subacute), no adverse effect observed

LOAEL, dermal, mouse, 100 mg/kg bw/day (chronic), The effects observed are not sufficient for classification.

LOAEL, oral, Rat, 125 mg/kg bw/day, The effects observed are not sufficient for classification.

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m³ air

LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

in vitro, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed, Effect on fertility,

- Development

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed, Effect on fertility,

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

**Aspiration hazard** 

Based on the available information, the classification criteria are not fulfilled.

**General remarks** 

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

Date printed 15.02.2023, Revision 15.02.2023



Version 12.0. Supersedes version: 11.0 Page 10 / 13

#### 11.2 Information on other hazards

**Endocrine disrupting properties**Contains no ingredients with endocrine-disrupting properties.

Other information none

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Substance	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
EL50, (48h), Invertebrates, 10 g/L	
NOELR, (14d), fish, 1 mg/L	
LL50, (96h), Invertebrates, 10 g/L	
LL50, (96h), fish, 100 mg/L	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
NOELR, (14d), fish, 1 g/L	
LL50, (96h), Invertebrates, 10 g/L	
LL50, (96h), fish, 100 mg/L	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1	
NOELR, (14d), fish, 1 g/L	
LL50, (4d), Invertebrates, 10 g/L	
LL50, (4d), fish, 100 mg/L	
olefin derivatives	
LC50, (96h), fish, > 101 mg/l	
EC50, (72d), Algae, > 101 mg/l	
NOEC, (21d), Daphnia magna, 10 mg/l	
LL50, (96h), Rainbow trout, > 100 mg/l	

### 12.2 Persistence and degradability

Behaviour in environment not determined

compartments

Behaviour in sewage plant not determined Biological degradability not determined

### 12.3 Bioaccumulative potential

No information available.

# 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

### 12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment.

Version 12.0. Supersedes version: 11.0

Date printed 15.02.2023, Revision 15.02.2023

Page 11 / 13

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

In according to RoHS!

For recycling, consult manufacturer.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 130205\* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150102 150104

150110\* packaging containing residues of or contaminated by hazardous substances

#### **SECTION 14: Transport information**

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

P

Date printed 15.02.2023, Revision 15.02.2023

Version 12.0. Supersedes version: 11.0 Page 12 / 13

#### 14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

#### 14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with no

**IMDG** 

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

no

- VOC (2010/75/CE) 0 %

#### 15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

### **SECTION 16: Other information**

### 16.1 Hazard statements (SECTION 3)

H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction.

Date printed 15.02.2023, Revision 15.02.2023



Page 13 / 13 Version 12.0. Supersedes version: 11.0

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

Classification procedure

Modified position SECTION 3 been added: Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)

SECTION 3 been added: Distillates (petroleum), hydrotreated light paraffinic

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.